

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company Williams Production	Contact Michael K. Lane
Address PO Box 640	Telephone No. 505-634-4219
Facility Name Rosa #065 (API: 30-039-21702)	Facility Type Well Site

Surface Owner BLM	Mineral Owner BLM	Lease No.
--------------------------	--------------------------	-----------

LOCATION OF RELEASE

Unit Letter A	Section 17	Township 31 N	Range 06W	Feet from the	North/South Line	Feet from the	East/West Line	County Rio Arriba
-------------------------	----------------------	-------------------------	---------------------	---------------	------------------	---------------	----------------	-----------------------------

Latitude 36.90333 Longitude -107.37992

RCVD AUG 18 '10
OIL CONS. DIV.

NATURE OF RELEASE

DIST. 3

Type of Release Dissolved Phase Hydrocarbons in Produced Water	Volume of Release UNK	Volume Recovered
Source of Release Below-grade Tank	Date and Hour of Occurrence UNK	Date and Hour of Discovery During BGT Closure
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom? Brandon Powell-NMOCD (email)	
By Whom? Myke Lane	Date and Hour	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.


Describe Cause of Problem and Remedial Action Taken.

Lab results from BGT closure indicated historic release occurred causing minor soil contamination over Rule 19.15.17.13 closure standards. No visual evidence of spill observed at time of tank removal. Risk assessment under current NMOCD remediation guidelines indicate contamination below RALs and no further action required. Pit area reclaimed following approved Pit Closure Plan. Composite sample results and site map attached.

Describe Area Affected and Cleanup Action Taken.

Criteria	Site Condition	Ranking Score
Depth to Groundwater	>=100 (Cathodic - >=120 ft BGS)	0
Wellhead Protection Area	None	0
Surface Water Body	>1000 ft	0
Total Ranking		0
Lab	Results	Remediation Action Level
Benzene (ppb)	<0.9	10,000
BTEX (ppb)	24.7	50,000
TPH by EPA - 418.1 (ppm)	164	5000
Cl (ppm)	10	--

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.


Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Michael K. Lane	Approved by District Supervisor:  For: CP	
Title: SJB EH&S Specialist	Approval Date: 9/8/10	Expiration Date:
E-mail Address: myke.lane@williams.com	Conditions of Approval:	Attached ☐
Date: 8/17/10 Phone: (505) 330-3198		

* Attach Additional Sheets If Necessary

n891025138583

10

Williams Production
Rosa 65 Dakota
Sec 17 T 31 N R 5 W





**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Client: Williams
Sample ID: Rosa #65
Laboratory Number: 55485
Chain of Custody No: 9851
Sample Matrix: Soil
Preservative:
Condition: Intact

Project #: 04108-0136
Date Reported: 08-10-10
Date Sampled: 07-28-10
Date Received: 08-09-10
Date Extracted: 08-09-10
Date Analyzed: 08-10-10
Analysis Requested: 8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa #65 BGT



Analyst



Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Williams	Project #:	04108-0136
Sample ID:	Rosa #65	Date Reported:	08-10-10
Laboratory Number:	55485	Date Sampled:	07-28-10
Chain of Custody:	9851	Date Received:	08-09-10
Sample Matrix:	Soil	Date Analyzed:	08-10-10
Preservative:		Date Extracted:	08-09-10
Condition:	Not Intact-Not headspace free	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	4.9	1.0
p,m-Xylene	9.9	1.2
o-Xylene	9.9	0.9
Total BTEX	24.7	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	102 %
	1,4-difluorobenzene	120 %
	Bromochlorobenzene	110 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa #65 BGT


Analyst


Review



EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	08-10-10 QA/QC	Date Reported:	08-10-10
Laboratory Number:	55484	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-10-10
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	08-10-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	08-10-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	260	104%	75 - 125%
Diesel Range C10 - C28	ND	250	256	102%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 55484-55488


Analyst


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	0810BBLK QA/QC	Date Reported:	08-10-10
Laboratory Number:	55484	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-10-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff. Accept. Range 0 - 15%	Blank Conc	Detect. Limit
Benzene	8.2705E+005	8.2871E+005	0.2%	ND	0.1
Toluene	9.1342E+005	9.1525E+005	0.2%	ND	0.1
Ethylbenzene	8.2635E+005	8.2801E+005	0.2%	ND	0.1
p,m-Xylene	2.0193E+006	2.0234E+006	0.2%	ND	0.1
o-Xylene	7.3278E+005	7.3425E+005	0.2%	ND	0.1

Duplicate Conc. (ug/L)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	1.1	1.0	9.1%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	50.9	102%	39 - 150
Toluene	ND	50.0	51.0	102%	46 - 148
Ethylbenzene	ND	50.0	50.9	102%	32 - 160
p,m-Xylene	ND	100	101	101%	46 - 148
o-Xylene	1.1	50.0	50.4	101%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 55484-55488


Analyst


Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Client:	Williams	Project #:	04108-0136
Sample ID:	Rosa #65	Date Reported:	08-11-10
Laboratory Number:	55485	Date Sampled:	07-28-10
Chain of Custody No:	9851	Date Received:	08-09-10
Sample Matrix:	Soil	Date Extracted:	08-11-10
Preservative:		Date Analyzed:	08-11-10
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	164	13.4

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Rosa #65 BGT


Analyst


Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	08-11-10
Laboratory Number:	08-11-TPH.QA/QC 55484	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	08-11-10
Preservative:	N/A	Date Extracted:	08-11-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	07-29-10	08-11-10	1,860	1,770	4.8%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	13.4

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	23.8	26.8	12.6%	+/- 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	23.8	2,000	1,790	88.4%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 55484-55487, 55494-55495

Analyst

Review



Chloride

Client:	Williams	Project #:	04108-0136
Sample ID:	Rosa #65	Date Reported:	08-11-10
Lab ID#:	55485	Date Sampled:	07-28-10
Sample Matrix:	Soil	Date Received:	08-09-10
Preservative:		Date Analyzed:	08-11-10
Condition:	Intact	Chain of Custody:	9851


Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride

10

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Rosa #65 BGT**



Analyst



Review

CHAIN OF CUSTODY RECORD

09851

Client: Williams		Project Name / Location: Rosa #65 BGT		ANALYSIS / PARAMETERS																					
Client Address: 721 S. Main St		Sampler Name: Matt Basue		TPH (Method 8015)		VOC (Method 8260)		RCRA 8 Metals		Cation / Anion		RCI		TCLP with H/P		PAH		TPH (418.1)		CHLORIDE		Sample Cool		Sample Intact	
Client Phone No.: 634-4209		Client No.: 04108-0136		No. / Volume of Containers		Preservative		Sample Matrix		Lab No.		Sample Time		Sample Date		Sample Identification		Sample No. /							
Rosa #65		7/28/10 14:00		402		Soil Solid		Sludge Aqueous		55485								X		X		N		N	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	
						Soil Solid		Sludge Aqueous																	