District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Saupling
Submit 1 copy to
appropriate
District Office
and 1 copy to
the Santa Fe Office
Revised June 10, 2003

PIT REMEDIATION AND CLOSURE REM

Operator: ConocoPhillips Company		Telephone: (305) 59	9-3400				
Address: 5525 Hwy. 64 Farmington, NM 87401							
Facility Or: <u>Krause Wn Fed #8</u> Well Name		07133 API#:30-045- <del>07206</del>					
Location: Unit or Qtr/Qtr Sec M Sec 29 T 28N R 11W County San Juan							
Pit Type: Separator Other <u>earthen pit</u>							
Land Type: BLM X, State , Fee Other							
Pit Location: Pit dimmensions: length10', width10', depth3'(Attach diagram)  Reference: wellheadX, other							
Footage from reference: 135'							
Direction from reference:	35	Degrees X East					
of West South X							
Depth To Ground Water (Vertical distance from		Less than 50 feet 50 feet to 99 feet	(20 points) (10 points)				
contaminants to seasonal high water elevation of		Greater than 100 feet	( 0 points) <u>0</u>				
ground water.)							
Wellhead Protection Area: (Less than 200 feet from a private			(20 points) ( 0 points) 0				
domestic water source, or; less than		NO	( o points) o				
1000 feet from all other water sources.)							
Distance To Surface Water: (Horizontal distance to perennial		Less than 200 feet 200 feet to 1000 feet	(20 points)				
lakes, ponds, rivers, streams, creeks, irrigation canals and ditches.)		Greater than 1000 feet	(10 points) ( 0 points) 0				
	RANK	ING SCORE (TOTAL POINTS):	0 pts				

Date Remediation Started	: <u>12/30/03</u> Date completed: <u>12/30/03</u>					
Remediation Method: F	xcavation N/A Approx. cubic yards					
(Check all appropriate sections.)	andfarmed N/A Insitu Bioremediation					
	Other					
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite Offsite					
General Description of R	emedial Action:					
A soil sample was extrac	ted at 5-ft below ground level (2-ft. below pit bottom). The sample was analyzed for					
GRO/DRO analysis. All	analyses were within BLM and NMOCD requirements.					
	·					
Ground Water Encounter	ed: No X Yes Depth					
Final Pit: Closure Sampling: (if multiple samples,	Sample location <u>Center of pit, 5-ft below surface level (2-ft. below pit bottom)</u>					
attach sample results and diagram of sample locations and depths)	Sample depth 2-ft. below pit bottom					
locations and depths)	Sample Date <u>12/30/03</u> Sample time <u>14:13</u>					
Sample Results						
	Benzene(ppm) N/A					
	Total BTEX(ppm) N/A					
	Field headspace(ppm) 60.0					
	TPH <u>395 ppm</u>					
Ground Water Sample:	Yes No _X (If yes, attach sample results)					
I hereby certify that the information above is true and complete to the best of my knowledge and belief.  Signature  Date 2/2/04						
Printed Name <u>Larry Trujillo</u> <u>Title Environmental Specialist</u>						
E-mail Address fmcd_be	est@hotmail.com					

Client: Con-	ocoPhillips Company	/							Date Bed	<u>gan:</u> 1:	2/30/03	<u>Date End:</u>	12/30/03
Location:	Krause Wn Fed #8					S	Site Diagrar	n:					
Footages:		1080' FSL	& 1050' FV	VL						No	rth.		
Unit Letter:	M	Sec.	29	Twn. 2	28N Rng 1		Krause #8				r.		
Latitude:	36° 37.7' N		Longitude:	10	07° 1.9' W		Not to Scale						
Lease Num.	SF-78863		Land 7	Гуре: _	BLM							Meter Run	:
Pit Type:		Earther	n Pit (Pit #1)										
Pit Referenc	e												1
Reference:	wellhead		Footage:		135'			( ) Pr	oduction Ta	ank			
Direction:	N or S	35	Degrees	s (	E or \	W						. 337	10.
Initial size:		10' × 10'	$\times$ 3' = 300ft <sup>3</sup>	3								• <u>T</u> V	ellhead
Final Size:			$\times$ 3' = 300ft <sup>3</sup>	3	·						Separat	Sec.	parator Pit
Total Cubic		0	yd <sup>3</sup>				-				Separat	(	teel Tank)
Distanes fro	· ·					5						Separ	ator Pit
Groundwater			> 10	00ft.								Pit #1	
Wellhead Pro			N	О								11677	į
Nearest Surfa	ace Water:		> 10	00ft.									}
1	phemeral stream:		N	/A									
(Navajo/Jicar	• ,					- 1							
Ranking	Score (points):		0 p	ts.		_							
						_							
Sample ID	Description	OVM Re				_							
11	2' below pit bottom	60.0 ppm	<u> </u>										
2					<del></del>								
3													
4						_							
5													
6				<del></del>		_							
7													
8		<del></del>	<del></del>										
9													
10						N.	ot to Scale	; 		···			
Comments:	edrock 2 ft. below pi	. hall								_			,
Sampled at b	edrock 2 it. below pi	t bottom.				<b> </b> -	N		г	S	E	1	W
							1		j		1	Ĭ	
						}	L					L	ا ك
Tests:								🕽 2	ft.			<b>1</b> 2 ft.	
Drongred hy	Larry Truiillo								В	iosphere	Environm	ental Sciences Te	chnologies



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-026-070
Sample ID:	Pit #1	Date Reported:	12-31-03
Laboratory Number:	27450	Date Sampled:	12-30-03
Chain of Custody No:	11700	Date Received:	12-30-03
Sample Matrix:	Soil	Date Extracted:	12-30-03
Preservative:	Cool	Date Analyzed:	12-31-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	395	0.1
Total Petroleum Hydrocarbons	395	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Krause #8.

Analyst C. Q

Review 1 Salter