District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 copy to appropriate District Office and 1 copy to the Santa Fe Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

(Revised 3/9/94)

30-045-078-99 PIT REMEDIATION AND CLOSURE REPORT

PIT REMEDIATION AT	ND CLUSURE REPORT	18 15 16 17 18 70 3
Operator: <u>Burlington Resources</u>	Telephone: 505-326-9841	(1) B (3)
Address: 3401 East 30th St., Farmington, N	<u>IM 87402</u>	DEC 2002
Facility Or: <u>CONGRESS</u> Well Name	Well No: $\underline{\underline{6}}$ Pit No: $\underline{\underline{1}}^{\circ}$	
Location: Unit or Qtr/Qtr Sec M Sec 2	35 T <u>029N</u> R <u>011W</u>	County San Juan
Pit Type: ? (Separator, Dehydrat	tor, Tank, Vent, Other)	
Land Type: <u>BLM</u> (BLM, State, Fee, C	Other)	
Pit Location: Pit Dimension length 9	width 9	depth 2
Reference: wellhead Other_		
Footage from reference: 80		
Direction from reference (azimuth):	225 degrees	
Depth To Ground Water:		
(Vertical distance from contaminants to seasonal	Less than 50 feet	(20 points)
	50 feet to 99 feet	(10 points)
ground water.)	Greater than 100 feet	(0 points) $\underline{0}$
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than		
1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
sources.)		
Distance to Surface Water:		
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks,	Less than 200 feet 200 feet to 1000 feet	(20 points) (10 points)
irrigation canals and ditches.)	Greater than 1000 feet	(0 points) $\underline{0}$
	RANKING SCORE (TOTA	L POINTS): <u>0</u>

Congress 6

Date Remediation Started	1: <u>3/6/2002</u>	Date completed:	4/29/02			
Remediation Method:	Excavation	_ Approx. cubic yar	ds:			
(Check all appropriate sections.)	Landfarmed	Insitu Bioremediation				
	Other					
Remediation Location: (i.e. landfarmed onsite, name and location of offsite facility)	Onsite	Offsite				
General Description of Remedial Action: The initial assessment of the pit showed that the soils met the closure standards. The pit was backfilled with clean						
Ground Water Encountered: No (yes or no) Depth:						
Final Pit: Sample location center of pit						
Closure Sampling: (if multiple samples,	Sample depth <u>3</u>					
attach sample results and diagram of sample	Sample Date 3/6/2	Sample	time <u>9:45:00 AM</u>			
locations and depths)	Sample Results:		in the second se			
	Benzene(ppm)					
	Total BTEX(ppn	n)				
Field Headspace(ppm) 63						
	TPH <u>110</u>					
Ground Water Sample: 1	No (If yes, attach s	ample results)	· · · · · · · · · · · · · · · · · · ·			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.						
Date: 11/27/02	- Signa	ature <u>II Ma</u>	h			
Title: Environmental S	pecialist Print	ed Name: Ed Hasely	7			

2506 West Main Street Farmington, NM 87401

Client:

Burlington Resources

Project:

Pit Closure

Sample ID:

Congress 6 2-30 3221701

Lab ID:

0302W01034

Matrix:

Soil

Condition:

Cool/Intact

Date Reported: 04/05/02

Date Sampled: 03/16/02

Date Received: 03/18/02

Date Extracted: N/A

Date Analyzed: 04/02/02

Parameter	Analytical Result	PQL	Units
GRO/DRO - METHOD 8015M			
Gasoline Range Organics(C6-C10)	<50	50	mg/Kg
Diesel Range Organics (C10 - C22)	110	50	mg/Kg
Total Petroleum Hydrocarbons (C6-C22)	110	100	mg/Kg

Reference: SW-846 - "Test Methods for Evaluating Solid Waste: Physical/Chemical Methods", United States Environmental Protection

Agency, November, 1986.

Method 8015AZ, C10 - C32 Hydrocarbons in Soil, Arizona Department of Health Services, Revision - 1.0, 09/25/98.

Reviewed By:

William Lipps /

Analyst:		