State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division

	Sundry Notices and R	eports on W	ells		
		 -, ,	API # (assigned by OCD)		
1. Type of Well			5.	Lease Number	
OIL			6.	Fee State Oil & Gas Lease	
2. Name of Operator			7.	Lease Name/Unit Name	
Geo Engineering			8.	Santa Fe Pacific Well No.	
3. Address & Phone No. of Opera P.O.Box 2966	tor			#2	
Santa Fe, NM 87505			9.	Pool Name or Wildcat	
4. Location of Well, Footage, Sec. Sec. 20 T-20-N, R-9-W, NMPM, Unit O	McKinley County / / と		10.	Elevation:	
Type of Submission X Notice of Intent	Type of Action _X_ Abandonment	Change	of Plans		
Subsequent Report	Recompletion Plugging Back	New Co	onstructio outine Fra	on cturing	
Final Abandonment	Casing Repair Altering Casing Other -		sion to Inj	ection	
13. Describe Proposed or Complete A-Plus Well Service, contra- procedure prepared by NMC	ctor, will plug and aband				
This work will be in accorda	ince with State of New N	Mexico Contr			
			101	CEIVED JAN 2 2 1998	
2.1-M: L	\mathcal{O}		011	CON. DIV. DIST. 3	
SIGNATURE William F. Clark	Mark Contractor	Decemb	<u>er 30, 19</u>	97	
This space for State Use	DEPUTY OIL & GAS INSPECTO	R, DIST. #3 Date	JAN	2 2 1998	

artististis o

CORPE	eo Engineer	PROPERTY	NAME InteFe Pa		WELL NO.	4
DATE	COCATION (ULBI	-20N-09W	POOTAGE	CITIC	<	<u> </u>
API NO.		POOL				·
				······································		-
	41/2" 02			٦	Γ	
	<u>,</u>					
	T.D.44	15 only rec	ord			
		. 7				
	0 11					
	Louldn'	+ find well				
Casing Re	CORD:					
	No	completion R	ecords			
		•				
		•				
		•				
					·	-
	1					
						·

COMPANY	rep Engineering	PROPERTY HAME	- 0 0	WELL NO.
DATE	LOCATION (ULATR)	Jante	Fe Pacific	2
API NO.	0-20-20N-		TOOTAGE	
API NO.		POOL		
	41/2" 02			
] [
	<u>,</u>			
	Thuur	1		
	T.D. 445 0	hly record		
	Couldn'+ fine	d well		
		•		
CASING RE	ECORD:			
			į	
	No comp	letion Recoi	rds	
1. D	ctermine depth			
-	t depth is month.	re continuo		
***	ITH Procedure In That	move rig in		
ع. ای	enf.@300' + 30' stablish cine to surface IH with a liek line d	·C >!!		
3. G	It with sliek line of ement	road hole with	4	7.0.C
4. Ao	H with slickline t pun	•-•	()	300.
Csg	. 4 circ cement to the	sula.) / (()
5. I	nstall dry hole marke	- DOCKTOCE	()	1 15
	Jananke	L	(!	
				12 445'
				47,
				(• 2
				