Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Revised March 25, 1999 Energy, Minerals and Natural Resources District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-31-20994 District II OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 5. Indicate Type of Lease District III 2040 South Pacheco STATE X 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 State Oil & Gas Lease No. District IV 2040 South Pacheco, Santa Fe, NM 87505 24580 SUNDRY NOTICES AND REPORTS ON WELLS 7. Dease Name or Unit Agreement Name: (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A Fajada State 2 DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Gas Well Other X Oil Well Well No Name of Operator 1 8 1999 Synergy Operating LLC Pool name or Wildcat Address of Operator Wildcat P.O.Box 5513, Farmington, NM 87499 Well Location 1820 feet from the West line 395 feet from the South line and Unit Letter N Range 11W NMPM McKinley County Township 20N Section 10. Elevation (Show whether DR, RKB, RT, GR, etc.) 6365' GR, 6377' RKB 11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: ALTERING CASING PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK TEMPORARILY ABANDON **CHANGE PLANS** COMMENCE DRILLING OPNS. PLUG AND. X **ABANDONMENT** MULTIPLE CASING TEST AND **PULL OR ALTER CASING CEMENT JOB** COMPLETION OTHER: OTHER: 12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. Circulate hole w/ 9.0 PPG mud. RU BJ Services cement crew. Pump Plug #1, 230-sxs Cl 'H' cmt w/ 2% CaCl₂, in 8-3/4" OH @ 5033' (Wireline TD), PUH to 4002', WOC 4-Hrs, TIH & tag TOC @ 4462' (Plug #1: 5033-4462'). Pump Plug #2, 200-sxs Cl 'H' cmt w/ 2% CaCl₂, in 8-3/4" OH @ 3857', PUH to 2918', WOC 4-Hrs, TIH & tag TOC @ 3365' (Plug #2: 3857-3365'). Pump Plug #3, 65-sxs Cl 'H' cmt w/ 2% CaCl₂, in 8-3/4" OH @ 2614', PUH to 1899', WOC 4-Hrs, TIH & tag TOC @ 2430' (Plug #3: 2614-2430'). Pump Plug #4, 195-sxs Cl 'H' cmt w/ 2% CaCl₂, in 8-3/4" OH from 398-318'(9-5/8" Csg shoe) and inside 9-5/8" 36# Csg from 318-surface, TOOH, WOC 4-Hrs, cmt 14' from surface. Cut-off 11" 3M Casing Head 3' below ground level. Cap well & weld on P&A marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE TITLE Operations Manager DATE 6/9/99

Type or print name Glen O. Papp

Telephone No. 325-5449

(This space for State use)

TITLE PEPUTY OIL & GAS INSPECTOR, DIST.

AUG - 1 2000