

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

1. Type of Well OIL	API # (assigned by OCD) 30-031-60029
2. Name of Operator Geo Engineering	5. Lease Number Fee
3. Address & Phone No. of Operator P. O. Box 2966 Santa Fe, NM 87505	6. State Oil & Gas Lease
4. Location of Well, Footage, Sec., T, R, M Sec. 20 T-20-N, R-9-W, NMPM, McKinley County Unit O, 320' FSL & 1920' FEL	7. Lease Name/Unit Name Santa Fe Pacific
	8. Well No. #4
	9. Pool Name or Wildcat
	10. Elevation:


Type of Submission	Type of Action	
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations

A-Plus Well Service, contractor, will plug and abandon said well according to the attached procedure prepared by NMOCD.

This work will be in accordance with State of New Mexico Contract No. 98-521.25-059.

SIGNATURE



William F. Clark

Contractor

December 30, 1997

(This space for State Use)

Approved by

 Title

Date

COMPANY Geo Engineering		PROPERTY NAME Santa Fe Pacific	WELL NO. 4		
DATE	LOCATION (ULSTR) 0-20-20N-09W	FOOTAGE			
API NO.		POOL			
<p>4 1/2" csg. with flat plate welded on top that is holding up 2" tbg string with a 2" pumping tee on top</p>					
CASING RECORD: 4 1/2" csg. @ 423' cement ? 1. POH with 2" tbg.		o.h. 435'			
		Cement ? 4 1/2" 423'			

COMPANY Geo Engineering		PROPERTY NAME Sante Fe Pacific	WELL NO. 4
DATE	LOCATION (ULSTR) 0-20-20N-09W	FOOTAGE	
API NO.		POOL	

4 1/2" csg. with flat plate welded on top that is holding up 2" tbg string with a 2" pumping tee on top

CASING RECORD:

4 1/2" csg. @ 423'
cement ?

1. Rig up service unit
2. POH with 2" tbg.
3. Determine depth if depth is 300' or more continue with procedure if not clean out hole
4. Pen@ 300' & 30'
5. establish circ. to the surface
6. GIH with tbg. to T.D. + Load hole with cement
7. Pump down csg. + circ. cement to the surface
8. Install dry hole marker

O.H.
435'

300'

Cement ?

4 1/2"
423'