

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-R258.4.  
Approval expires 12-31-60.

Indian Agency Siouxville

Tribal Siouxville

Allottee Siouxville

Lease No. Contract No. 44  
Tract No. 91

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 8, 1958

Siouxville  
Well No. 2 is located 990 ft. from N line and 990 ft. from E line of sec. 5

NE 1/4 Section 5  
(1/4 Sec. and Sec. No.)

2N  
(Twp.)

4W  
(Range)

R.M.P.M.  
(Meridian)

Undesignated (Gallup)  
(Field)

San Arriba  
(County or Subdivision)

New Mexico  
(State or Territory)


The elevation of the derrick floor above sea level is 7000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is our intention to drill Well No. 2 to approximately 6300' to test the Gallup formation. This well was drilled to 2914' & tested the Pictured Cliffs formation which did not produce gas or oil. Our casing program to be as follows:

6300' of 5 1/2" OD casing 15.3# SE SS 3-55 RMB, cemented with 900 ex. cement.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SKELLY OIL COMPANY

Box 426

Address Farmington, New Mexico

By (Signed) P. E. Gosper

Title District Superintendent

