

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Jicarilla Joint Venture

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Jicarilla Apache

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Jicarilla Joint
Venture "KD"

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Chacon Dakota
Associated Oil Pool

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 10-T23N-R3W

N.M.P.M.

12. COUNTY OR PARISH 13. STATE

Rio Arriba N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Odessa Natural Corporation Attn: John Strojek

3. ADDRESS OF OPERATOR

P.O. Box 3908 Odessa, Texas 79760

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

2100'FSL, 2010'FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

7197'GR, 7210'DF, 7211'KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☒
☐
☐

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-11-77 Spud Well

Ran 6 jts., 8-5/8", 24.0 lb., K-55 casing (234') set at 248' with 250 sacks Class "B" Cement with 2% CaCl and 1/4 lb. Flocele per sack. Cement circulated. Pressure test with 500 psig. Test O.K.

10-27-77 T.D. 7570'

Ran 176 jts., 4-1/2", 10.50 & 11.60 lb., S<&C, K-55 casing (7391.92') set at 7404.42' with 1st Stage 450 sacks 50-50 Pozmix with 6 lbs. salt and 6-1/4 lbs Gilsonite per sack. Cal. top of cement 6000'. 2nd Stage - 250 sacks 65-35 Pozmix, 12% gel, with 6-1/4 lbs. Gilsonite per sack followed by 50 sacks Class "B" Neat Cement. Calculated top of cement at 2000'.

FOR: ODESSA NATURAL CORPORATION

18. I hereby certify that the foregoing is true and correct

SIGNED

Ewell N. Walsh, P.E.

TITLE

President, Walsh Engineering
& Prod. Corp.

DATE

11-14-77

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side