

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.  
**Jicarilla Tribal 358**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**Jicarilla Apache**

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

**Jicarilla Tribal 358**

9. WELL NO.

**6**

10. FIELD AND POOL, OR WILDCAT

**Ballad Pictured Cliffs EXT.**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

**SW/4 NE/4 Section 6,  
T-22-N, R-2-W**

12. COUNTY OR PARISH

**Sandoval**

13. STATE

**New Mexico**

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
**AMCO PRODUCTION COMPANY**

3. ADDRESS OF OPERATOR  
**501 Airport Drive, Farmington, New Mexico 87401**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface

**1830' FNL & 1490' FEL**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

**7345' GL ungraded**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF   
FRACTURE TREAT   
SHOOT OR ACIDIZE   
REPAIR WELL   
(Other)

PULL OR ALTER CASING   
MULTIPLE COMPLETE   
ABANDON\*   
CHANGE PLANS

WATER SHUT-OFF   
FRACTURE TREATMENT   
SHOOTING OR ACIDIZING   
(Other)

REPAIRING WELL   
ALTERING CASING   
ABANDONMENT\*

**Spud & set casing**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**A 12-1/4" surface hole was spudded at 5:30 p.m., June 5, 1973 and drilled to 213'. The 8-5/8" casing was set at 208' with 200 sacks Class "A" cement with 2% CaCl2 on June 5, 1973. The hole was reduced to 7-7/8" at 213'. The cement was circulated.**

**The well was drilled to a total depth of 2989'. The 4-1/2" casing was set at 2989' with 550 sacks Class "C" cement with 6% Gel and 50-50 Pozmix and 2 pounds Tuf Plug followed by 100 sacks Class "C" Neat, June 10, 1973, and the cement did not circulate.**




18. I hereby certify that the foregoing is true and correct

SIGNED \_\_\_\_\_ TITLE **Area Engineer** DATE **June 12, 1973**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:



**JUN 14 1973**

\*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY  
DANVER, COLO.

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.