#### SUBMIT IN TRIPLICATE\*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

E DESIGNATION AND SERIAL NO.

UNITED STATES									
DEPARTMENT	OF	THE	INTERIOR						

GEOLOGICAL SURVEY							NOO-C-14-20-3664		
APPLICATION	•								
1a. TYPE OF WORK	L X	DEEPEN [			G BAC		_Navajo_Allotted		
Λ	S SINGLE MULTIPLE ZONE ZONE						8. FARM OR LEANE NAME		
2. NAME OF OPERATOR		Navajo Allotted 26							
Filon Exploration Corporation  3. ADDRESS OF OPERATOR C/O Minerals Management, Inc.  5.03 A. D. Corito 105 Farmington N. M. 87401							# 1 10. FIELD AND POOL, OR WILDCAT		
501 Airport Dr., Suite 105, Farmington, N.M. 87401  4. Location of Well (Report location clearly and in accordance with any State requirements.*)  At surface							Wildcat Entrada  11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		
1700' FWL, 600' FSL, SEC. 26, T21N, R7W  14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE*							SEC. 26, T21N, R7W		
17 miles SOI 10. DISTANCE FROM PROPE LOCATION TO NEAREST PROPERTY OR LEASE L.	Sandoval N.M.  FACIEN ASSIGNED  RIS WELL  40								
18. DISTANCE FROM PROFUSED LOCATION TO NUMBER WELL, DRILLING, COMPLETED,					20. вота	GOTARY OR CABLE TOOLS			
OR APPLIED FOR, ON THIS LEASE, FT.  21. ELEVATIONS (Show whether DF, RT, GR, etc.)			1	6200'			ROTARY   22. APPROX. DATE WORK WILL START*		
21. ELEVATIONS (Show whe	March 15, 1976								
6684 GL March 15, 19/6  PROPOSED CASING AND CEMENTING PROGRAM									
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	WEIGHT PER FOOT		SETTING DEPTH		QUANTITY OF CEMENT		
15"	10 3/4"	40.50	40.50		200'		200 sx		
8 3/4"	7."	23 &	26	6200'		300-	500 sx (2 stage)		
Filon Exploration Corporation (Operator) proposes to drill a Jurassic test to 6200'. Completion to be determined from logs. A Series 900 (3000 psi wp) blowout preventer will be used.									
A Series 900	13d 000£1	wb) prowo	uc p	TCACHICET	, W.L.L.				



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any Drilling Manager TITLE Minerals Management Inc MATE 2-27-76 (This space for Federal or State office use) APPROVAL DATE PERMIT NO. \_\_\_\_ APPROVED BY \_ CONDITIONS OF APPROVAL, IF ANY: 1 1976

\*See Instructions On Reverse Side

J. S. GEOLOGICAL SURVEY edia and

All distances must be from the outer boundaries of the Section. Well No. Operator Navajo Allotted 26 Filon Exploration Township Sandoval W 26 21 N 3.3 Actual Footage Location of Well: 1700 South feet from the fact from the Dedicated Acreage: Producing Formation Ground Level Elev. Wildcat 6681 Entrada 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation \_ No If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Une2 Drilling Manager Minerals Management Ind. 2-27-76 Sec 26 I hereby certify that the well location shown on this plat was plotted from field 100 12 14 12 1 1976

MAR 1 1976

J. S. 4501001041 SURVEY notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. 1700! Certificate No. 1980 2310 1500 1000

330

660

1320 1650

# MINERALS MANAGEMENT INCORPORATED A Division of SCIENTIFIC SOFTWARE CORPORATION

February 27, 1976

DEVELOPMENT PLAN FOR SURFACE USE

FILON EXPLORATION CORPORATION

NAVAJO ALLOTTED 26 WELL NO. 1

1700' FWL, 660' FSL, SEC. 26, T21N, R7W

SANDOVAL COUNTY, NEW MEXICO



#### 1. Existing Roads

The main road in the area will be the road from Highway 44 to Star Lake Compressor Station - as per topographic map.

#### 2. Planned Access Road

As per topographic map, approximately 1 1/2 miles will need to be repaired and constructed to location site.

#### 3. Location of Nearby Existing Wells

2080' FNL, 2310' FEL, SEC. 29, T21N, R7W, Sandoval, County, New Mexico. Filon's Federal 29-1. Plug and Abandoned 9-17-75.

#### 4. Lateral Roads

As shown on topographic map.

#### 5. Location of Tank Batteries

Will be initially located on the drill pad approximately 150' from the well if production in encountered.

#### 6. Water Supply

Water to be hauled to well site. Water source has not been determined.

MAR 1 1976

U. S. GEOLOGICAL SURVEY

## 7. Method of Handling Waste Disposal

Waste will be buried in the reserve pit on completion of the well. The reserve pit will be backfilled. Toilet facilities will be provided.

### 8. Location of Camp

No camp will be used.

### 9. Location of Airstrip

None

### 10. Diagram of Well Location

See attached diagram.

## 11. Plans for Restoration of Surface

The surface will be restored and reseeded as directed by Bureau of Indian Affairs.

## 12. Impact on Environment

Impact on Environment will be minimal. The area is sparsely vegetated and no trees will be disturbed.






DIAGRAM OF WELL LOCATION



MAR 1 1976

J. S. GEOLOGICAL SURVEY

