

F

30-043-20418

11-15-78

F. Loc. 1850/N; 935/E Elev. 6966 CL Spd. Comp. TD PB

Casing S. @ W Sx Int. @ W Sx Pr. @ W Sx T. @
Csg. Perf. Prod. Stim.T
R
A
N
S

I.P. BO/D MCF/D After Hrs. SICP PSI After Days GOR Grav. 1st Del. s

TOPS		NIID	X	Well Log	TEST DATA								
Kirtland		C-103		Plat	X	Schd.	PC	Q	PW	PD	D	Ref.No.	
Fruitland		C-104		Electric Log									
Pictured Cliffs				C-122									
Cliff House		Ditr		Dfa									
Menefee		Datr		Dac									
Point Lookout		160											
Mancos													
Gallup													
Sanostee													
Greenhorn													
Dakota													
Morrison													
Entrada													

P

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

o

Rusty Cha Co. SAs 18 T 22N R 6W U H Oper. Benson Mineral Grp Inc. Federal 18-22-6 No. 1

Federal 18-22-6 #1

H-18-22N-6W

Benson Mineral Group, Inc.

Federal Building
701 Camino del Rio
Durango, Colorado 81301

February 14, 1979

Benson Mineral Group, Inc.
3200 Anaconda Tower
555 17th Street
Denver, CO 80202

Gentlemen:

Reference is made to your letter dated February 8, 1979, which advises that you will not drill the following wells in Sandoval County, New Mexico:

<u>Well No.</u>	<u>Location</u>	<u>Lease No.</u>
1 Federal 4-21-5	SWSW 4-21N-5W	NM-7773
1 Federal 18-22-6	1 SESE 18-22N-6W	NM-21455
1 Federal 7-22-7	SESE 7-22N-7W	NM-6680
1 Federal 10-22-7	SWNE 10-22N-7W	NM-6680
1 Federal 19-22-7	NENE 19-22N-7W	NM-7262

Applications for Permit to Drill have not been approved.

Drilling had not commenced on these wells. Any construction on access roads or well pads will have to be restored to the satisfaction of the Bureau of Land Management.

Applications for Permit to Drill are rescinded this date and are returned herewith, unapproved. If at some later date you decide to drill these wells, it will be necessary to file new applications.

Sincerely yours,

(Orig. Sgd.) C. A. BARRICK

Carl A. Barrick
Acting District Engineer

cc: BLM, Farmington
NMOCC, Aztec

