

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)Form approved.  
Budget Bureau No. 42-R1424.

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Contract No. 183	
2. NAME OF OPERATOR ODESSA NATURAL CORPORATION		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jicarilla Apache	
3. ADDRESS OF OPERATOR P. O. Box 3908 Odessa, Texas 79760		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1850'FSL, 1850'FWL		8. FARM OR LEASE NAME Chacon Jicarilla "D"	
14. PERMIT NO.		9. WELL NO. 18	
15. ELEVATIONS (Show whether on P.M., G.S., etc.) 7460'GL, 7473'DF, 7474'KB		10. FIELD AND POOL, OR WILDCAT Chacon Dakota Associated	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 22-T23N-R3W N.M.P.M.	
		12. COUNTY OR PARISH Sandoval	13. STATE New Mexico

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

8/30/80 Spud Well

8/30/80 T.D. 290'. Ran 7 joints 8-5/8", 24.0 lb., K-55 casing (246.37) Set at 247.37' with 250 sacks Class "B" cement with 3% Calcium Chloride and 1/4 lb. Flocele per sack. Cement Circulated approximately 3 barrels. Pressure test with 500 psig. Test ok.

9/15/80 T. D. 7710'. Ran 223 joints 4-1/2". 10.50 &amp; 11.60 lbs., K-55 casing (7680.92') set at 7685.32' with:

First Stage: 440 sacks 50-50 Pozmix with 6-1/4 lbs. Gilsonite and 6 lbs. salt per sack. Calculated top of cement 5942'.

Second Stage: 110 sacks 65-35 Pozmix (12% Gel) with 6-1/4 lbs. Gilsonite per sack, followed by 50 sacks Class "B" Neat Cement. Stage Collar 3410'. Calculated top of cement 2609'.

FOR: ODESSA NATURAL CORPORATION

18. I hereby certify that the foregoing is true and correct

ORIGINAL SIGNED BY

SIGNED Ewell N. Walsh, P.E.

President, Walsh Engr.

TITLE &amp; Production Corp.

DATE 9/17/80

(This space for Federal or State office use)

RECEIVED FOR RECORD

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

SEP 22 1980

BY ERMINGTON DISTRICT  
BW

\*See Instructions on Reverse Side

NMOCC