

SUNDRY NOTICES AND REPORTS ON WELLS

1. oil ☒ gas ☐ other

2. NAME OF OPERATOR
Pelto Oil Company

3. ADDRESS OF OPERATOR Two Greenspoint Plaza
Suite 400, 16825 Northchase, Houston, TX 77059

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See Space 17 below.)

AT SURFACE: 1980' FSL, 990' FEL Sec. 35
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,
REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>
ABANDON*	<input checked="" type="checkbox"/>
(other)	

□ □ □ □ □ □ □



(NOTE: Report results of multiple completion or zone change on Form 7-330A-10-52-100)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 8½" hole to 7025. Schlumberger Ran DIL, BHC Sonic, FDC-CNL, HR Dipmeter, Birdwell velocity survey, Stan Jones contacted Mr. Dean Elliott with U.S.G.S. in Farmington, N.M. at 2:00 P.M. 7-19-81 and requested plugging instructions which were given as follows:


6758-8658	100'	cmt. plug
6325-6425	100'	cmt. plug
5154-5254	100'	cmt. plug
4350		CIBP
4250-4350	100'	cmt. plug

Subsurface Safety Valve: Manu. and Type

Set @ 1000 Ft.

18. I hereby certify that the foregoing is true and correct.

18. I hereby certify that the foregoing is true and correct.

SIGNED  TITLE Petroleum Consultant DATE July 20, 198

(This space for Federal or State office use)

TITLE _____ DATE _____

APPROVED

CONDITION OF APPROVAL, IF ANY:

NOTED
AUG 7 198

For JAMES F. SIMSst
DISTRICT ENGINEER

***See Instructions on Reverse Side**

NMOCC