Form 3160-5 (November 1983) (Formerly 9-331)	UNITED ST DEPARTMENT OF T BUREAU OF LAND	HE INTERIOR	SUBMIT IN TRIPLICAT (Other Instructions on verse side)	Expires Au	eau No. 1004-0135 gust 31, 1985 FION AND BERIAL NO.	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)				6. IF INDIAN, ALLA	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
OIL X CAS WELL X	OTHER	. ,		7. UNIT AGREEMEN	T NAME	
2. NAME OF OPERATOR				8. FARM OR LEASE	NAME	
The Gary - Williams Company				Orguidea	Orguidea + H	
3. ADDRESS OF OPERATOR				9. WELL NO.		
1775 Sherman Street, Suite 1925, Denver, CO 80203 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface					10. FIELD AND POOL, OR WILDCAT	
330' FSL, 1650' FWL					RIO PUETCO 11. SEC., T., E., M., OR BLK. AND SURVEY OR ARMA	
				Sec 4, T2	ON. R2W	
14. PERMIT NO.	15. ELEVATIONS	(Show whether DF, RT, GR,	etc.)	12. COUNTY OR PA		
· · · · · · · · · · · · · · · · · · ·		340' MD 882' TVD		Sandoval	NM	
· BECE	Check Appropriate Box	To Indicate Nature	of Notice, Report, or	Other Data		
M P A	CEANT ENTERTION 14:		SUBSI	QUENT EMPORT OF:	BNT REPORT OF:	
TEST TARE SHUT-OFF	PULL OR ALTER CA	SING	WATER SHUT-OFF	REPAIRS	NG WELL	
FRACTURE TREATE U	01992 MULTIPLE COMPLET	re	FRACTURE TREATMENT	ALTERIN	G CABING	
SHOOT OF ACIDIZE	ABANDON.	I—I I	SHOOTING OR ACIDIZING	ABANDO	MENT.	
(Other)	THE DISTRICT PLANS	XX	(Other) (Norm: Report resul	ts of multiple complet pletion Report and Lo	lon on Well	
The Gary - Wil as listed belo	liams Company prop w:	oses to reduce	hole and casing	g size		
Size of Hole	Size of Casing	Weight Per F	oot Setting D)epth	Quantity of Cement	
12-1/4	9-5/8	36	300		150 sacks	
8-3/4	7	23	3100		165 sacks	
6-1/4	4-1/2*	11.6	7870		NONE	
*Optional. Op	en hole completion	may be used i	f conditions are	stable.		
Cement for sur	face casing is as	follows:	Type Vo	lume(Sacks)	Yield,(cu ft/s	
Volumes calcul	ated using 30% exc		Light	50	1.84	
		Tail	Standard	100	1.18	
follows:	exmediate casing i	Lead	50/50 Pozmix Standard	65 100	1.26 1.18	
V						
SIGNED	dregoing the and correct	TITLE Atto	rney-in-fact	DATE 1	1/16/92	
(This space for Federal	or StALBER ABEE	Aber 1	MANAGER	nr	Δ.	
APPROVED BY			MANAGEK ERCO RESOURCE ARI	FA DATE	01 1992	

*See Instructions on Reverse Side