Form	9-331
(May	1963)

ī. OIL

16.

REPAIR WELL

UNITED STATES DEPARTMENT OF THE INTERIOR CONTROL OF THE INTERIOR Verse side

SUBMIT IN TRIPLICATE.

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

S. FARM OR LEASE NAME

NM-13956					
6.	IF INDIAN,	ALLOTTEE	OR	TRIBE	NAME

GEOL	OGICAL	SURVEY		
SUNDRY NOTICES	AND	REPORTS	ON	WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.)

7.	UNIT	AGREEMENT	NAME	

<u>Kimbeto R. G. Fede</u>ral

	WELL	K-4	WELL	ш	OTHER	
2.	NAME	OF OPE	RATOR			*

YATES PETROLEUM CORPORATION ADDRESS OF CPERATOR

207 South 4th Street, Artesia, New Mexico 88210 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

980'FNL, 1850'FEL

B. William Carlo State L'Y

10. FIELD AND POOL, OR WILDCAT

Undesignated 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 8-T23N-R10W

N.M.P.M. 12. COUNTY OR PARISH | 13. STATE N.M.San Juan

14. PERMIT NO. 6492 GL

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

NOTICE OF INTENTION TO: PULL OR ALTER CASING TEST WATER SHUT-OFF MULTIPLE COMPLETE FRACTURE TREAT ABANDON* SHOOT OR ACIDIZE

CHANGE PLANS

SUBSEQUENT REPORT OF: REPAIRING WELL WATER SHUT-OFF ALTERING CASING FRACTURE TREATMENT ABANDONMENT* SHOOTING OR ACIDIZING

(Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) * (Other) Abandon Dakota Perforations

It is proposed to abandon the Dakota perforations, 5180'-5373' 7/29/81 (overall), in the following manner:

- Set retainer in 5 1/2" casing 4990'-5020'.
- Squeeze perforations with 50 sacks Class "B" cement.
- Dump 5 sacks cement on top of retainer. 3.

Completion will then be attempted in the Gallup Formation.



YATES PETROLEUM CORPORATION FOR:

the foregoing is true and correct

President, Walsh Engr.

TITLE & Production Corp.

DATE

Walsh, P.E. (This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

APPROVE

*See Instructions on Reverse Side

TRICT OIL & GAS SUPERVISOR