

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Offic	Santa Pe
Lease No.	078909
Unit	Lindrith

ell No. 7 is locate  Sw Section 21  (4 Sec. and Sec. No.)  Wildcat  (Field)	245 (Twp.)	(Range)	(Meridian)	
(4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
20 Sect100 SI	245	2¥	NAME OF THE PROPERTY OF THE PR	line of sec. 21
ell No7 is locate	ed _1650 ft. from	$n_{-}\left\{ S\right\} $ line and .	Tt. from	line of sec. 21
all NI.		4884	3000 6 6	
				,
			July 6	5
(INDICAT	TE ABOVE BY CHECK MAP		NOTICE, OR OTHER DATA)	
NOTICE OF INTENTION TO ABANDON	WELL	water Pr	acture	X
	THE CAUTING	SUPPLEMENTAL	DV WELL LUCTORY	i i
	· //OID/ALD/	! I SUBSECTION :	REPORT OF RE-DRILLING OF	R REPAIR.
NOTICE OF INTENTION TO CHANGE P NOTICE OF INTENTION TO TEST WAT. NOTICE OF INTENTION TO RE-DRILL	ER SHIT-OFF	SUBSEQUENT	REPORT OF SHOOTING OR	ACIDIZING
	M ANC	SUBSEQUENT	REPORT OF WATER SHUT-O	FF

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-5-56 Total Depth 3175. Water fractured Pictured Cliffs perforated intervals 3104-3123, 3134-3143 with 55,620 gallons water and 60,000# sand. Breakdown pressure 1400#, maximum pressure 2000f, average treating pressure 1400f. Injection rate 55.6 bbls./min. Flush 3200 gallons. Matural gage none.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Paso Hatural Cas Company Address Box 997 Farmington, New Mexico Petroleum Engineer Title