


FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: <u>74473</u> Location: <u>C.C. Federal #1</u> Operator #: <u>1705</u> Operator Name: <u>Breck</u> ^{Danson D/I} P/L District: <u>OJITO</u> Coordinates: Letter: <u>A</u> Section <u>17</u> Township: <u>24</u> Range: <u>3</u> Or Latitude _____ Longitude _____ Pit Type: Dehydrator _____ Location Drip: ☒ Line Drip: _____ Other: _____ Site Assessment Date: <u>8/2/94</u> Area: <u>08</u> Run: <u>83</u>		
	<table border="0"> <tr> <td data-bbox="50 719 142 2081" rowspan="2">SITE ASSESSMENT</td> <td data-bbox="142 719 1521 2081"> NMOCD Zone: (From NMOCD Maps) Inside ☒ (1) Outside ☐ (2) Land Type: BLM ☐ (1) State ☐ (2) Fee ☒ (3) <i>Denny G. Foust</i> DEPUTY OIL & GAS INSPECTOR SEP 10 1996 Depth to Groundwater Less Than 50 Feet (20 points) ☒ (1) 50 Ft to 99 Ft (10 points) ☐ (2) Greater Than 100 Ft (0 points) ☐ (3) Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) ☒ (1) 200 Ft to 1000 Ft (10 points) ☐ (2) Greater Than 1000 Ft (0 points) ☐ (3) Name of Surface Water Body <u>Cañada Largo</u> (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream ☐ (1) < 100' (Navajo Pits Only) ☐ (2) > 100' TOTAL HAZARD RANKING SCORE: <u>40</u> POINTS </td> </tr> <tr> <td data-bbox="142 2081 1521 2081"> REMARKS Remarks : <u>Redline Book - Inside</u> <u>Vulnerable Zone Tap - Inside</u> <u>1 pit. Will close. P. 2 day</u> </td> </tr> </table>	SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside ☒ (1) Outside ☐ (2) Land Type: BLM ☐ (1) State ☐ (2) Fee ☒ (3) <i>Denny G. Foust</i> DEPUTY OIL & GAS INSPECTOR SEP 10 1996 Depth to Groundwater Less Than 50 Feet (20 points) ☒ (1) 50 Ft to 99 Ft (10 points) ☐ (2) Greater Than 100 Ft (0 points) ☐ (3) Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) ☒ (1) 200 Ft to 1000 Ft (10 points) ☐ (2) Greater Than 1000 Ft (0 points) ☐ (3) Name of Surface Water Body <u>Cañada Largo</u> (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream ☐ (1) < 100' (Navajo Pits Only) ☐ (2) > 100' TOTAL HAZARD RANKING SCORE: <u>40</u> POINTS
SITE ASSESSMENT	NMOCD Zone: (From NMOCD Maps) Inside ☒ (1) Outside ☐ (2) Land Type: BLM ☐ (1) State ☐ (2) Fee ☒ (3) <i>Denny G. Foust</i> DEPUTY OIL & GAS INSPECTOR SEP 10 1996 Depth to Groundwater Less Than 50 Feet (20 points) ☒ (1) 50 Ft to 99 Ft (10 points) ☐ (2) Greater Than 100 Ft (0 points) ☐ (3) Wellhead Protection Area : Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) ☒ (1) 200 Ft to 1000 Ft (10 points) ☐ (2) Greater Than 1000 Ft (0 points) ☐ (3) Name of Surface Water Body <u>Cañada Largo</u> (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream ☐ (1) < 100' (Navajo Pits Only) ☐ (2) > 100' TOTAL HAZARD RANKING SCORE: <u>40</u> POINTS		
	REMARKS Remarks : <u>Redline Book - Inside</u> <u>Vulnerable Zone Tap - Inside</u> <u>1 pit. Will close. P. 2 day</u>		

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 320° Footage from Wellhead 87'
 b) Length : 20' Width : 20' Depth : 4'



Remarks :

Pictures @ 1337

Completed By:

Cory Chase
 Signature

8/2/94
 Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: <u>74473</u> Location: <u>C.C. Federal #1</u> Coordinates: Letter: <u>A</u> Section <u>17</u> Township: <u>24</u> Range: <u>3</u> Or Latitude _____ Longitude _____ Date Started : <u>10/13/94</u> Run: <u>08</u> <u>83</u>
FIELD OBSERVATIONS	Sample Number(s): <u>KD 337</u> Sample Depth: <u>12'</u> Feet Final PID Reading <u>42ppm</u> PID Reading Depth <u>12'</u> Feet Yes No Groundwater Encountered ☐ ☒ Approximate Depth _____ Feet
CLOSURE	Remediation Method : Excavation ☒ Approx. Cubic Yards <u>50</u> Onsite Bioremediation ☐ Backfill Pit Without Excavation ☐ Soil Disposition: Envirotech ☒ ☐ Tierra Other Facility ☐ Name: _____ Pit Closure Date: <u>10/13/94</u> Pit Closed By: <u>BEI</u>
REMARKS	Remarks : <u>EXCAVATED pit to 12', TOOK PID Sample, closed pit.</u>
	Signature of Specialist: <u>[Signature]</u>



Analytical **Technologies**, Inc.

2709-D Pan American Freeway, NE Albuquerque, NM 87107
Phone (505) 344-3777 FAX (505) 344-4413

ATI I.D. **410405**

October 26, 1994

El Paso Natural Gas Company
P.O. Box 4990
Farmington, NM 87499

Project Name/Number: PIT CLOSURE 24324

Attention: John Lambdin

On **10/18/94**, Analytical Technologies, Inc., (ADHS License No. AZ0015), received a request to analyze **non-aqueous** samples. The samples were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

If you have any questions or comments, please do not hesitate to contact us at (505) 344-3777.

Letitia Krakowski, Ph.D.
Project Manager

H. Mitchell Rubenstein, Ph.D.
Laboratory Manager

MR:jt

Enclosure





Analytical Technologies, Inc.

GAS CHROMATOGRAPHY RESULTS

TEST : BTEX (EPA 8020)
CLIENT : EL PASO NATURAL GAS CO. ATI I.D.: 410405
PROJECT # : 24324
PROJECT NAME : PIT CLOSURE

SAMPLE ID. #	CLIENT I.D.	MATRIX	DATE SAMPLED	DATE EXTRACTED	DATE ANALYZED	DIL. FACTOR
25	946416	NON-AQ	10/13/94	10/19/94	10/20/94	1
26	946417	NON-AQ	10/13/94	10/19/94	10/21/94	1
27	946418	NON-AQ	10/13/94	10/19/94	10/21/94	20

PARAMETER	UNITS	25	26	27
BENZENE	MG/KG	<0.025	<0.025	<0.5
TOLUENE	MG/KG	<0.025	<0.025	3.1
ETHYLBENZENE	MG/KG	<0.025	<0.025	2.4
TOTAL XYLENES	MG/KG	<0.025	<0.025	55

SURROGATE:

BROMOFLUOROBENZENE (%) 90 89 91