


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Jicarilla Tribal
Jicarilla "B"
Allottee Contract #46
Lease No. Tract #127



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED

Report of Perforations OCT 7 1957

Report of Sand-Fracing

U. S. GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO

October 3, 1957

Jicarilla "B"
Well No. 3 is located 660 ft. from N line and 660 ft. from W line of sec. 5

SW 1/4 Section 5 24N 5W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat (Hoopah) Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 5 1/2" casing in Gallup formation 5858-5886', 5911-5920' & 5932-5952' with 4 Lane Wells type "E" bullets per foot.


Fraced 5 1/2" casing perforations 5858-5886', 5911-5929' & 5932-5952' with 35000# sand & 35000 gals. lease oil with 120 rubber frac balls. BDP 2100#, Max. pressure 2700#, Min. pressure 2100#, Inj. Rate 37.9 bbls. per minute. Flushed with 250 bbls. oil. Pressure at end of treatment 2700#. Pressure dropped to 1900# in 10 minutes, left shut in 3 hrs. & pressure dropped to 300#.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SKELLY OIL COMPANY
Box 426
Address Farmington, New Mexico

By (Signed) P. E. Gosper

Title District Superintendent





(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Jicarilla Tribal
Jicarilla "B"
Allottee Contract #68
Lease No. Treat #127

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF <u>Surface</u>	<u>X</u>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

RECEIVED
AUG 7 1957

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 6, 1957

Jicarilla "B"
Well No. 3 is located 660 ft. from N line and 660 ft. from W line of sec. 5

SW 1/4 Section 5 26N 5W N.H.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox (Mogah) Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SPUDDED: 12:00 Noon, August 2, 1957.

Set 10-3/4" casing (10 jts. 315') at 327' with 300 sacks cement, 2% CaCl. Cement circulated.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SEELY OIL COMPANY

Address Box 426
Farmington, New Mexico

By (Signed) P. E. Cosper

Title District Superintendent

