



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. SF 079602  
Unit L. L. McConnell

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	RECEIVED	SUBSEQUENT REPORT OF WATER SHUT-OFF	Production <input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	JUN 15 1958	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	U.S. GEOLOGICAL SURVEY	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	FARMINGTON, NEW MEXICO	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE WELL		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Report of Perforations	<input checked="" type="checkbox"/>
		Report of Sand Fracing	<input checked="" type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 12, 1958

L. L. McConnell  
Well No. 12 8 is located 990 ft. from S line and 990 ft. from W line of sec. 29  
SW 1/4-SW 1/4 Section 29 25N 3W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
South Blanco (P.C.) Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7488 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran & set 5½" OD casing at 3967' & cemented with 75 sks. reg. cement & 75 sks. pozzix 3% gel, and ½ floccs per sk. Ran Temperature Survey by B & R Service Co. & found top of cement behind 5½" casing at 3030'.

Perforated 5½" casing 3832-48', 3876-3906', 3910-3920' w/4 shots per ft. Total of 56', 224 shots.

Fraced Pictured Cliffs formation down 5½" casing, thru 5½" casing perfs. 3832-48', 3876-3906', 3910-20' w/40,000# 20-40 sand & 36,540 gals. of water. BDP 1000#, Max. TP 1500#, Min. TP 1100#. Shut in press. in 5 min. 300#. Inj. rate 53.8 BPM. Time of treatment 17 min.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company McConnellAddress Farmington, N.M.By (Signed) L. L. McConnellTitle District Superintendent

