


APPROVED

(SUBMIT IN TRIPLICATE)

Land Office **Santa Fe**
Lease No. **079177**
Unit **Canyon Largo Unit**

SEP 11 1956

JERRY W. LON
ACTING DISTRICT ENGINEERUNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

SCHULTZ, TURKISH, FIELDS-GOVERNMENT #1-24: August 8, 1956Well No. 1-24 is located 990 ft. from NS line and 990 ft. from E line of sec. 24
82 1/4 Section 24 25N 6W 100W
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)
(Canyon Largo Unit)
The elevation of the derrick floor above sea level is 648 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 2472-90 w/4 bullets/ft.
Sand-freeed Perfs w/25,000# Sands & 20,000 Gals water and flushed w/60 BW.
Max Press 1950#. Min & Final Press 1500#. Injection rate 42 BPM.
Evabbed casing 3-1/2 hrs, well started flowing gas.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Superior Oil CompanyAddress Midland, TexasBy L. G. Willis (L. J. Willis)Title Petroleum Engineer