



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Dulce, New Mex.

Jicarilla Apache
Allottee Cont. #149-Tract #246
Lease No. J. Apache "T"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	RECEIVED APR 24 1963 U.S. GEOLOGICAL SURVEY ALBUQUERQUE, NEW MEXICO
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Subsequent Report for setting casing</u>	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 23, 1963

Well No. 11 is located 1000' ft. from N line and 1000' ft. from E line of sec. 21

NE/NE-Sec-21
(1/4 Sec. and Sec. No.)

25N
(Twp.)

5W
(Range)

NMPM
(Meridian)

Basin Dakota
(Field)

Rio Arriba
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6726' ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4-19-63 - 7350' Total Depth:

Ran and Set 3 1/2" OD 9.20#, J55, R2, Youngstown SS Casing, new, AT 7336' w/Howeo Shoe, and Float collar at 7303'; Roto scratchers and centralizers thru Dakota, Graneros, Gallup and Chacra Zones, W/D.V. Staging Tool in string at 3875'; Hallib. cmted. lower stage w/250 Sax 50/50 Pozmix cement, 4% Gel & 3/4% CFR2, w/12 1/2# Gilonite per sack, and 100 sack 50/50/ Pozmix cmt. 2% Gel & 3/4% CFR2, Plug down at 7:30 AM, w/2500#, press. WOC, Ran B&R Temp. survey, top of cmt. outside 3 1/2" Casing at 6080'. Hallib. cmted. upper stage thru D. V. Tool at 3875' w/200 Sacks Class "C" Cmt. 6% Gel, Pumped plug to 3875' w/800# press. Closed tool and test casing with 2000# Press. for 1/2 hour, held OK. WOC, Ran B&R Temp. survey, top of cmt. outside 3 1/2" casing at 2900'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Amerada Petroleum Corporation

Address Box 1469

Durango, Colorado

247-5353

By [Signature]
Title District Field Clerk

