


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic	Sant	a Fe
Loase No.	078882	
limia	Canvon	

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)			
SLAGEL-GOVERNMENT #1-18:			
Well No. 1-18 is located 999 ft. from	$ \begin{cases} \mathbf{X} \\ \mathbf{S} \end{cases} $ line and $ 999 $ ft. from $ \begin{cases} \mathbf{E} \\ \mathbf{X} \mathbf{X} \end{cases} $ line of sec. $ 18 $		
SE/4 Section 18 25N (% Sec. and Sec. No.) (Twp.)	6W NMPM (Range) (Meridian)		
WC (Canyon Largo) Rio Arriba	NMPM New Mexico (State or Territory)		
The elevation of the derrick floor above sea level is 6745 / ft. DETAILS OF WORK			
(State names of and expected depths to objective sands; show size	es, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work)		
8-5/8" Casing @101' w/75 sax cement			
Total Depth: 2705' Top of Pict	ured Cliffs: 2649 (#4096)		
equalized 35 sax cement: pulled to 80	alized 55 sax cement; pulled to 2130, 00', equalized 25 sax cement. Located g in top of surface casing. Placed a 4" ed up location.		
I understand that this plan of work must receive approval in Company The Superior Oil Compan	M OR COM.		
- •	081.3		
Address Midland, Texas	By (D. H. Collins, Jr.) Title Petroleum Engineer		



-