•	Forn (A)	n 9-3 oril 198	31 b 52)	
-				
\sim				
1/3	×			

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Ag	ency	
dicar	ille Trib	1
Allottes _		
Lease No.	Maerill	Tribs
	Contract	

VOTICE OF IN	ITENTION TO DRILL		TX.	SUBSEQUENT RE	PORT	OF WATER SHUT	-OFF		.
	ITENTION TO CHANGE PLA			SUBSEQUENT RE				1	
	ITENTION TO TEST WATER			SUBSEQUENT RE					<u></u> .
	ITENTION TO REDRILL OR			SUBSEQUENT RE	PORT (OF REDRILLING	OR REPAIR		
	ITENTION TO SHOOT OR A			SUBSEQUENT RE	PORT (OF ABANDONME	NT		[
	ITENTION TO PULL OR AL			SUPPLEMENTARY	Y WELL	HISTORY			
NOTICE OF IN	NTENTION TO ABANDON W	/ELL							
		ABOVE BY CHECK MA	l	TUDE OF REPORT A	OTICE	OR OTHER DATA			
	(INDICATE	ABOVE BY CHECK MA	RK NAI	UKE OF REPORT, N	10110E,	OR OTHER DATA	v		
Hear	illa Combract 1	146	P	emington,	Nev	Hexico	Kereshell	r. 5., 19 4	2
	16	. Act	. 1	201 . ,	394	.	12 1 1	. 44	Ĺ.
'ell No	is loca	ted 190 ft.	trom	(C)			W line of	Sec	E
冰水寒水	Section 10	1-25-X	R			P.H.	- /1		
4. 4	c. and Sec. No.)	(Twp.)	'	tange)	-	(Meridian)		hari tani kalan s	
Otoro C		Rio Afr				(0)	ate o Territory)\/ * 7 **********************************	62
	(Field)	(Cou	nty of B	Subdivision)		(a)	1		-
						_			
he elevati	ion of the derrick	floor above sea	level	is ft	. (I	o report		CUN. C	Civi.
he elevati	ion of the derrick	floor above sea	level	is ft	()	o report		CUN. C DIST. 3	Civi.
he elevati	ion of the derrick				•	o report			CM.
		DET	'AILS	of work				DIST. 3	
tate names o	of and expected depths to	DET objective sands; show ing points, and a	'AILS	OF WORK	hs of prosed we	roposed casings; ork)	indicate mude	DIST. 3	nent-
tate names o	of and expected depths to	DET objective sands; show ing points, and s	AILS	S OF WORK	hs of posed wo	roposed casings ork)	indicate mude	DIST. 3	nent-
tate names o	of and expected depths to	DET objective sands; show ing points, and s illa Contraction.	'AILS	S OF WORK weights, and lengt rimportant propo	hs of prosed we	roposed casings; ork) operacing to mplotion	indicate mude	DIST. 3	nent-
tate names o	of and expected depths to	DET objective sands; show ing points, and s	'AILS	S OF WORK weights, and lengt rimportant propo	hs of prosed we	roposed casings; ork) operacing to mplotion	indicate mude	DIST. 3	nent-
tate names o	of and expected depths to	DET objective sands; show ing points, and s illa Contraction.	'AILS	S OF WORK weights, and lengt rimportant propo	hs of prosed we	roposed casings; ork) operacing to mplotion	indicate mude	DIST. 3	nent-
tate names o	of and expected depths to	DET objective sands; show ing points, and s illa Contrac formation. ng casing pr	AILS v sizes, v all other than the last sizes and the last sizes are last sizes and last sizes are last sizes a	S OF WORK weights, and length in important propo is No. 16 to make the propo is propo	hs of prosed wo	roposed casings; prevailing to prevailing to mplotion	indicate mude bly 4150 will be	DIST. 3	nent-
tate names o	of and expected depths to	DET objective sands; show ing points, and s illa Contrac formation. ng casing pr Const. 135 sac	AILS valzes, vall other than the latest than t	S OF WORK weights, and length in important proposes to let to mistion on mis proposes Incor	ths of piosed wo	roposed casings; province to the control of the colors of	indicate mude bly 4150 will be	DIST. 3 ding jobs, con with 1 maleste	nent- wter
tate names o	of and expected depths to	DET objective sands; show ing points, and s illa Contrac formation. ng casing pr	AILS valzes, vall other than the latest than t	S OF WORK weights, and lengt r important propo No. 16 t mistion an Is propo Remark Incor Incor	chs of proceed work of the control o	roposed casings; precima to ampletion - circuite al (with	indicate mude bly 4150 will be late to 1-1/2 1	DIST. 3 ding jobs, con with a maleste surface be. Tuf	nent- wter
ropose 1	of and expected depths to	DET objective sands; show ing points, and s illa Contrac formation. ng casing pr Const. 135 sac	AILS valzes, vall other than the latest than t	S OF WORK weights, and lengt rimportant propo S No. 16 t mlation an a is propo Remark Incor Incor	ths of prosed wo	roposed casings; procime to ampletion - circuit gel (with and neat	indicate mude bly 4150 vill be late to 1-1/2 1 - to fil	ding job., conding job., condi	nent- wter
ropees (s to sw 1 depth. gs	to drill dieses almate Chaora The following 2001 41509	DET objective sands; show ing points, and s illa Contract formation. ng casing pr Concrt. 135 sac 300 sac	AILS v sizes, v all other t 14 Stim	S OF WORK weights, and lengt rimportant propo S No. 16 t mistion an is propo Incor Incor per sa above	ha of proceed we do a proced with the process of th	roposed casings programate ampletion t - circuit t - circuit gel (with and neat of Fictu	indicate mude oly 4150 vill be late to 1-1/2 H - to fill red Cliff well.	ding jobs, conding jobs, conding to the second seco	nent- wtas d a
ropose (s to sw 1 depth.	to drill dieses almate Chaora The following 2001 41509	DET objective sands; show ing points, and s illa Contract formation. ng casing pr Concrt. 135 sac 300 sac	AILS v sizes, v all other t 14 Stim	S OF WORK weights, and lengt rimportant propo S No. 16 t mistion an is propo Incor Incor per sa above	ha of proceed we do a proced with the process of th	roposed casings programate ampletion t - circuit t - circuit gel (with and neat of Fictu	indicate mude oly 4150 vill be late to 1-1/2 H - to fill red Cliff well.	ding jobs, conding jobs, conding to the second seco	nent- wtas d a
ropees (s to sw 1 depth. gs	to drill dieses almate Chaora : The following 2001 4150	DET objective sands; show ing points, and s illa Contract formation. ng casing pr Concrt. 135 sac 300 sac	AILS v sizes, v all other t 14 Stim	S OF WORK weights, and lengt rimportant propo S No. 16 t mistion an is propo Incor Incor per sa above	ha of proceed we do a proced with the process of th	roposed casings programate ampletion t - circuit t - circuit gel (with and neat of Fictu	indicate mude oly 4150 vill be late to 1-1/2 H - to fill red Cliff well.	ding jobs, conding jobs, conding to the second seco	nent- wtas d a
ropose (s to sw 1 depth. ge 2e y of a	te drill diese almate Chaora : The following the control of the co	DET objective sands; show ing points, and s illa Contract formation. ng casing pr Concrt. 135 sac 300 sac n will be sa	Valls Vallstee, vall other tile Stim ogra ica	S OF WORK weights, and lengt rimportant propo 6 No. 16 t mistion an m is propo Incor Incor Per sa above ted upon o	ha of proceed we do not be to possible to	roposed casings proclimate implotion i - circu gel (with and neat of Fictu lotion of lon Commi	late to late to fill be red Cliff well.	ding jobs, conding jobs, condi	ptas d a
ropose (s to switches depth. general	to drill destinate chara : The following the	DET objective sands; show ing points, and s illa Contract formation. ng casing pr General 135 sac 300 sac maill be su ohed New Hex	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt r important propo No. 16 t mlation an is propo Lengt Incor Incor Incor Incor Conser coll Conser	ha of proceed we do not be to possible to	roposed casings proclimate implotion i - circu gel (with and neat of Fictu lotion of lon Commi	late to late to fill be red Cliff well.	ding jobs, conding jobs, condi	ptas d a
tate names of ropes of a depth. I understar	to drill dear to drill dear to drill dear to drill dear to dea	DET objective sands; show ing points, and s illa Contract formation. ng casing pr General 135 sac 300 sac maill be su ohed New Hex	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt r important propo No. 16 t mlation an is propo Lengt Incor Incor Incor Incor Conser coll Conser	ha of proceed we do not be to possible to	roposed casings proclimate implotion i - circu gel (with and neat of Fictu lotion of lon Commi	late to late to fill be red Cliff well.	ding jobs, conding jobs, condi	ptas d a
tate names of ropes of a depth. I understar	to drill dear to drill dear to drill dear to drill dear to dea	DET objective sands; show ing points, and s illa Contract formation. ng casing pr General 135 sac 300 sac maill be su ohed New Hex	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt r important propo No. 16 t mlation an is propo Lengt Incor Incor Incor Incor Conser coll Conser	ha of proceed we do not be to possible to	roposed casings proclimate implotion i - circu gel (with and neat of Fictu lotion of lon Commi	late to late to fill be red Cliff well.	ding jobs, conding jobs, condi	ptas d a
tate names of ropes of a depth. I understar company	to drill dear almost character characters. The following the following the following the following survey takes the following sur	DET objective sands; show ing points, and s illa Contract formation. ng casing pr General 135 sac 300 sac maill be su ohed New Hex	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt r important propo No. 16 t mlation an is propo Lengt Incor Incor Incor Incor Conser coll Conser	ha of proceed we do not be to possible to	roposed casings proclimate implotion i - circu gel (with and neat of Fictu lotion of lon Commi	late to late to fill be red Cliff well.	ding jobs, conding jobs, condi	ptas d a
tate names of ropes of a depth. I understar company	to drill dear almost character characters. The following the following the following the following survey takes the following sur	DET objective sands; show ing points, and s illa Contract formation. ng casing pr General 135 sac 300 sac maill be su ohed New Hex	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt r important propo No. 16 t mlation an is propo Lengt Incor Incor Incor Incor Conser coll Conser	ha of proceed we do a speed of the speed of	roposed casings proposed casings proposed casings to the case of t	indicate mude oly 4150 vill be late to 1-1/2 li - to fil red Cliff well.	ding jobs, conding jobs, condi	ptas d a
ropess (s to even l depth. gu zu understar Company	to drill dear almost character characters. The following the following the following the following survey takes the following sur	objective sands; show ing points, and it is contraction, age casing process. 135 sac 300 sac and it is sac and it	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt rimportant propo No. 16 t mlation an a is propo Lengt Incor Incor per as above tod upon a Oil Conser iting by the Geologration	d co wed!	roposed casings provident provident control co	indicate mude oly 4150 vill be late to lal/2 li - to fil red Cliff well.	ding jobs, con ding jobs, con with 1 selected surface be. Tuf 11 500 fa. Copies commono	Plug
tate names of the stock of the	to drill dicar almate Chara almate Chara The following 2001 41501 my survey take realised on atta-	objective sands; show ing points, and sills Contraction. It considers the constant of the con	AILS v sizes, v all other all other standards cico	S OF WORK weights, and lengt rimportant propo No. 16 t mlation an a is propo Lengt Incor Incor per as above tod upon a Oil Conser iting by the Geologration	ha of proceed we do a speed of the speed of	coposed casings ports) provides to the completion of lietue of li	indicate mude oly 4150 vill be late to 1-1/2 li - to fil red Cliff well.	ding jobs, cer ding jobs, cer with 1 seclecte surface be. Tuf 11 500 fm. Copies cm C-12	Plug

Estables and the Help of the H

			 _
NUMBER OF COPIE	SRECEI	(をな	
DIS	TRIBUTI	ON .	
SANTA FE			
FILE			
U.ETG.S			
LAND OFFICE			
	OIL		
TRANSPORTER	GAS		
PROBATION OFFI	CE		

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

ND OFFICE			. =	AND ACDE	APE NE	DILL VILLEN	
		WELL LOC					
ANSPORTER GAS		SEE INSTRUCT	IONS FOR	COMPLETING 1	HIS FORM	ON THE REVI	RSE SIDE
ORATION OFFICE							
			SEC	TION A			
perator		<u></u>	Lea	se			Well No.
an American	Petroleum	Corporation_		Moerilla	Contract	146	16
nit Letter S	ection 10	Township	516	Range	County	Rio Arri	ba
tual Footage Loca			1		1	14	
	eet from the		e and	1190	feet from th	e #06%	line
ound Level Elev.	Producing C	Formation had ra	Poo	Otero (Cheera		Dedicated Acreage: Acres
who has the right another. (65-3- If the answer to wise? YES If the answer to	t to drill into a -29 (e) NMSA I question one is NO	nd to produce from an 1935 Comp.)	ny pool and erests of all Type of C	to appropriate to the owners been to the owners been to the owners been been been been been been been bee	n consolidad	ed by commun	. ("Owner" means the personself or for himself and itization agreement or other-
wner				Land Desc			W 7 1962
							CERTIFICATION
		SECTION E	<u> </u>			-	CERTIFICATION
	10. 7. 4	1090' From 80'	ish iline	earilla Com	TLAM MAI	in SECT	TION A above is true and com-
line for (100 : 1190	in Unit M Chaors com feet cast feet from	1090 From sou i, Section 10, pletion to be er at lecation west line in	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	belief.	TION A above is true and com- the best of my knowledge and
line for (in Unit M Chaors com feet cast feet from	1090' From sou , Section 10, pletion to be er at location	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	Name Position	the best of my knowledge and Hellingsworth Loss Regineer
line for (100 1190	in Unit M Chaors com feet cast feet from	1090' From sou , Section 10, pletion to be er at location	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	Name Position Compan	the best of my knowledge and Hellingsworth Loss Regineer
line for (100 1190	in Unit M Chaors com feet cast feet from	1090' From sou i, Section 10, pletion to be er at lecation west line in	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	Name Position Compan	the best of my knowledge and Hellingsworth Less Engineer
line for (100 1190	in Unit M Chaors com feet cast feet from	1090' From sou , Section 10, pletion to be er at location	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	Name Position Compan	the best of my knowledge and Hellingsworth Loss Engineer y merican Petr. Corp.
line fer (100 1190 R-5-	in Unit M Chaors com feet cast feet from	1090' From sou i, Section 10, pletion to be er at lecation west line in	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	I hereby shown of plotted surveys superviand corrand bel	certify that the well location on the plat in SECTION B was from field notes of actual made by me or under my sion, and that the same is truct to the best of my knowledge and the form for the plat of the plat in Section for the plat of the plat o
line for (100 1190 R-5-	in Unit M Chacra com feet cust feet from W.	1090' From sou i, Section 10, pletion to be er at lecation west line in	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	I hereby shown or plotted surveys supervi and cor and bel lies. Date Surveys supervi and cor and surveys supervisions.	certify that the well location on the plat in SECTION B was from field notes of actual made by me or under my sion, and that the same is true rect to the best of my knowledge.
Jicarill Contract	in Unit M Chacra com feet cust feet from W. A Tribal Ho, 146	1090' From sou i, Section 10, pletion to be er at lecation west line in	T-25-H, drilled 890' f	R-5 W. To 200 Feet s	dn well with and line and	I hereby shown of plotted surveys supervi and cor and bel lie. Registe and/or Care to belief.	certify that the well location on the plat in SECTION B was from field notes of actual made by me or under my sion, and that the same is truncet to the best of my knowledge.

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.