

DEPUTY OIL & GAS INSPECTOR

JUN 23 1998

**ENVIRONMENTAL PROTECTION OFFICE**

P.O. BOX 507  
DULCE, NEW MEXICO 87528

SUBMIT 1 COPY TO  
NATURAL  
RESOURCE DEPT  
AND OIL GAS  
ADMINISTRATION

# PIT REMEDIATION AND CLOSURE REPORT

**Operator:** PNM Gas Services ( Conoco ) **Telephone:** 324-3764

**Address:** 603 W. Elm Street Farmington, NM 87401 --

Facility or Well Name: Axi Apache N-4

**Location:** Unit: D Sec. 12 T. 25 N R. 4 W County Rio Arriba

**Pit Type:** Separator ☒ Dehydrator ☐ Other ☐

**Land Type:** Jicarilla Apache

**Pit Location:** Pit dimensions: length 25' width 23' depth 20'

(Attach diagram)      Reference:      wellhead      ☒      other

Footage from reference: 48'

Direction from reference: 45 Degrees East North

West ← of South

**Depth to Ground Water:**

(Vertical distance from contaminants to seasonal high water elevation of ground water)

Less than 50 feet	(20 points)	
50 feet to 99 feet	(10 points)	
Greater than 100 feet	( 0 points)	<u>2</u>

**Wellhead Protection Area:**

(Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources)

Yes (20 points)   e    
No ( 0 points)           

Distance to Surface Water:

(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)

Less than 200 feet	(20 points)	
200 feet to 1,000 feet	(10 points)	
Greater than 1,000 feet	(0 points)	

Distance to Ephemeral Stream (dry wash):

(Horizontal distance to all downgradient streams having a width of at least 10 feet)

Less than or equal to 100 feet (10 points)  
Greater than 100 feet (0 points)

Distance to Nearest Lake, Playa, or Watering Pond:

(Horizontal distance to all downgradient lakes, playas, and livestock or wildlife water ponds)

Less than or equal to 100 feet	(10 points)	
Greater than 100 feet	(0 points)	<i>e</i>

**RANKING SCORE (TOTAL POINTS) :** \_\_\_\_\_

Date Remediation Started: 10/1/97 Date Completed: 11/17/97

Remediation Method: Excavation X Approx. Cubic Yards 426

(Check all appropriate sections)

Landfarmed X Amount Landfarmed (cubic yds): 426

Other \_\_\_\_\_

Remediation Location: Onsite X Offsite \_\_\_\_\_

(i.e., landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action:

Removed contaminated soil from all four side walls  
into a below 100 ppm head space reading.  
Bottom is rock

Ground Water Encountered: No X Yes \_\_\_\_\_ Depth \_\_\_\_\_

Final Pit Closure Sampling:

Sample Location North, East, South and West side walls

(if multiple samples, attach sample result and diagram of sample locations and depths.)

Sample depth 19'

Sample date 10/2/97 Sample time 0746

Sample Results

Soil: Benzene (ppm) ND Water: Benzene (ppb) \_\_\_\_\_

Total BTEX (ppm) 0.003 Toluene (ppb) \_\_\_\_\_

Field headspace (ppm) E.9 Ethylbenzene (ppb) \_\_\_\_\_

TPH ND ppm Method GC/MS Total Xylenes (ppb) \_\_\_\_\_

Ground Water Sample: Yes \_\_\_\_\_ No X (If yes, attach sample result(s))

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND MY BELIEF

DATE 10/10/97 PRINTED NAME Ronald A. Dedrick

SIGNATURE Ronald A. Dedrick AND TITLE Environmental Technician I


AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES X NO \_\_\_\_\_ (REASON): spray & close

SIGNED: Kee C. Mann DATE: 10-14-97


Ax1 Apache N-4  
Sec. 12 T2.5N R4W Unit D  
Conoco

2.5' x 23' x 20'



5' Sample - 814 ppm  
10' Sample - 681 ppm  
15' Sample - 380 ppm

Ax1 Apache N-4  
Sec. 12 T25N R4W Unit D  
Conoco



OFF: (505) 325-5667



LAB: (505) 325-1556

### ANALYTICAL REPORT

Attn: *Denver Bearden*  
Company: *PNM Gas Services*  
Address: *603 W. Elm*  
City, State: *Farmington, NM 87401*

Date: *8-Oct-97*  
COC No.: *5614*  
Sample No.: *16498*  
Job No.: *2-1000*

Project Name: *PNM Gas Services - Axi Apache N-4*  
Project Location: *9710020746; 4pt. Composite*  
Sampled by: *PA* Date: *2-Oct-97* Time: *7:46*  
Analyzed by: *DC/HR* Date: *3-Oct-97*  
Sample Matrix: *Soil*

#### Laboratory Analysis

Parameter	Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
<i>Diesel Range Organics (C10 - C28)</i>	ND	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

#### Quality Assurance Report

DRO QC No.: 0555-STD

#### Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
<i>Diesel Range (C10 - C28)</i>	ND	ppm	200	212	6.0	15%

#### Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
<i>Diesel Range (C10-C28)</i>	85	99	(70-130)	14	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: *[Signature]*

Date: *10/8/97*

P.O. BOX 2606 • FARMINGTON, NM 87499

OFF: (505) 325-5667



LAB: (505) 325-1556

## ANALYTICAL REPORT

Attn: *Denver Bearden*  
Company: *PNM Gas Services*  
Address: *603 W. Elm*  
City, State: *Farmington, NM 87401*

Date: *6-Oct-97*  
COC No.: *5614*  
Sample No.: *16498*  
Job No.: *2-1000*

Project Name: *PNM Gas Services - Axi Apache N-4*

Project Location: *9710020746; 4pt. Composite*

Sampled by: *PA* Date: *2-Oct-97* Time: *7:46*

Analyzed by: *DC* Date: *3-Oct-97*

Sample Matrix: *Soil*

### Laboratory Analysis

Parameter	Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
<i>Benzene</i>	ND	ug/kg	2	ug/kg
<i>Toluene</i>	3	ug/kg	2	ug/kg
<i>Ethylbenzene</i>	ND	ug/kg	2	ug/kg
<i>m,p-Xylene</i>	ND	ug/kg	2	ug/kg
<i>o-Xylene</i>	ND	ug/kg	2	ug/kg
	<i>TOTAL</i>	3	ug/kg	

ND - Not Detected at Limit of Quantitation

**Method** - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*  
Date: *10/6/97*

P.O. BOX 2606 • FARMINGTON, NM 87499

JICARILLA APACHE TRIBE  
ENVIRONMENTAL  
PROTECTION OFFICE  
P.O. BOX 507  
DULCE, NEW MEXICO 87528


SUBMIT 1 COPY TO  
NATURAL  
RESOURCE DEPT  
AND OIL GAS  
ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

<b>Operator:</b> <u>PNM Gas Services (Conoco)</u> <b>Telephone:</b> <u>324-3764</u>	
<b>Address:</b> <u>603 W. Elm Street Farmington, NM 87401</u>	
<b>Facility or Well Name:</b> <u>Axi Apache No. 4</u>	
<b>Location:</b> Unit: <u>D</u> Sec. <u>12</u> T. <u>25N</u> R. <u>4</u> W. County <u>Rio Arriba</u>	
<b>Land Type:</b> <u>Jicarilla Apache</u>	
<b>Date Remediation Started:</b> <u>10/1/97</u> <b>Date Completed:</b> <u>11/6/97</u>	
<b>Remediation Method:</b> Landfarmed <input checked="" type="checkbox"/> Composted <input type="checkbox"/> Other <input type="checkbox"/> <b>Approx. cubic yards</b> <u>426</u>	
<b>Depth to Ground Water:</b> (pts.) <u>0</u>	<b>Final Closure Sampling:</b> <b>Sampling Date:</b> <u>11/4/97</u> <b>Time</b> <u>1106</u> <b>Sampling Results:</b> <b>Field Headspace (ppm)</b> <u>99.4</u> <b>TPH (ppm)</b> <u>5</u> <b>Method</b> <u>SC15</u> <b>Other</b> _____
<b>Distance to an Ephemeral Stream:</b> (pts.) <u>0</u>	
<b>Distance to Nearest Lake, Playa, or Watering Pond:</b> (pts.) <u>0</u>	
<b>Wellhead Protection Area:</b> (pts.) <u>0</u>	
<b>Distance to Surface Water:</b> (pts.) <u>0</u>	
<b>Ranking Score (Total Points):</b> <u>0</u>	
<p>I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF</p> <p><b>DATE</b> <u>11/10/97</u> <b>PRINTED NAME</b> <u>Ronald A. Dedrick</u></p> <p><b>SIGNATURE</b> <u>Ronald A. Dedrick</u> <b>AND TITLE</b> <u>Environmental Technician II</u></p>	
<p>AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SITE REMEDIATION APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE</p> <p><b>APPROVED:</b> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> (REASON) _____</p> <p><b>SIGNED:</b> <u>Ken C. M... ..</u> <b>DATE:</b> <u>11-12-97</u></p>	

7x1 Apache N-4  
Sec. 12 T25N R4W Unit D  
Jonoco

Land farm





OFF: (505) 325-5667



LAB: (505) 325-1556

## ANALYTICAL REPORT

Attn: *Denver Bearden*  
Company: *PNM Gas Services*  
Address: *603 W. Elm*  
City, State: *Farmington, NM 87401*

Date: *7-Nov-97*  
COC No.: *5629*  
Sample No.: *16760*  
Job No.: *2-1000*

Project Name: *PNM Gas Services - Axi Apache N-4 Landfarm*

Project Location: *9711041106; 5pt. Composite*

Sampled by: *RB* Date: *4-Nov-97* Time: *11:06*

Analyzed by: *DC:HR* Date: *6-Nov-97*

Sample Matrix: *Soil*

### Laboratory Analysis

Parameter	Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
<i>Diesel Range Organics (C10 - C28)</i>	<i>5</i>	<i>mg/kg</i>	<i>5</i>	<i>mg/kg</i>

ND - Not Detected at Limit of Quantitation

### Quality Assurance Report

DRO QC No.: 0555-STD

#### Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
<i>Diesel Range (C10 - C28)</i>	<i>ND</i>	<i>ppm</i>	<i>200</i>	<i>181</i>	<i>9.7</i>	<i>15%</i>

#### Matrix Spike

Parameter	1 - Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
<i>Diesel Range (C10-C28)</i>	<i>72</i>	<i>72</i>	<i>(70-130)</i>	<i>1</i>	<i>20%</i>

Method - *SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography*

Approved by: *[Signature]*  
Date: *11/17/97*

P.O. BOX 2606 • FARMINGTON, NM 87499

ANALYSTS: *DC:HR* ANALYST: *DC:HR* ANALYST: *DC:HR*