

**(SUBMIT IN TRIPLICATE)**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office 22-4-1900

Lease No. \_\_\_\_\_

Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Water From	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. \_\_\_\_\_ is located \_\_\_\_\_ ft. from {N  
S} line and \_\_\_\_\_ ft. from {E  
W} line of sec. \_\_\_\_\_, 19\_\_\_\_.

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

(Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is        ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

12-13-54. 70' - 100' (100' - 120'). C.O.T.D. 3770'. Water fractured fractured Cliffs  
well. 1st. 3770-3780; 2nd. 3780-3790; 3rd. 3790-3800 gallons water and 35,000  
sand. 1st. 3770-3780; 2nd. 3780-3790; 3rd. 3790-3800. I.S. 13.4 MM.  
Flush 3770-3800. Gotten 200 gallons BMA before perf. Used 1% Calcium  
Chloride in frac. water. Dropped 1 set/10 balls for 2 stages.

ILLEGIBLE



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

**Company** \_\_\_\_\_

Address \_\_\_\_\_

7-11-64 12:00 PM

By ORIGINAL & GO-D E.E. FINALLY

**Title** 1. The Role of the Teacher