


submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells



1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 37499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

990' FNL, 1115' FWL Sec. 5, T-25-N, R-6-W, NMPM

5. Lease Number
SF-078883

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

Canyon Largo Unit
8. Well Name & Number
Canyon Largo U #28

9. API Well No.
30-039-06173

10. Field and Pool
So Blanco Pict. Cliffs

11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other - Restimulate
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

NU BOP. Pull 1 1/4" tubing. Drill new open hole from 2810-2930'. Run open hole logs. Run 3 1/2" casing to new total depth and cement to surface with 450 sx Class "B" 50/50 poz with 2% gel, 0.3% CFR-3, 5 pps Gilsonite 0.4% Halad-344, 3% Kcl. Perforate, acidize and foam fracture treat the Pictured Cliffs zone. Clean out. Rerun tubing and return the well to production.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (KKKPC) Title Regulatory Administrator Date 12/4/96

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

APPROVED

DEC 06 1996
/S/ Duane W. Spencer
DISTRICT MANAGER

Canyon Largo Unit # 28
Pertinent Data Sheet

Location: 990' FNL & 1115' FWL, Unit D, Section 5, T25N, R6W, Rio Arriba County, New Mexico

Latitude: 36-25-56

Longitude: 107-29-44

Field: South Blanco PC

Elevation: 6741' GL
6751' KB

TD: 2855'

PBTD: 2855'

Spud Date: 4/22/55

Compl Date: 5/9/55

DP #: 49273A

Lease: (Fed) NM 6210-01

GWl: 89.23456%

NRI: 73.89781%

Prop#: 007972000

Initial Potential: Initial Potential = 4,666 MCF/D, SICP = 830 psi

Casing Record:

<u>Hole Size</u>	<u>Csg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
12-1/4"	9-5/8"	32# H-40	248'	150 sx.	Circ Cmt
8-3/4"	7"	20# J-55	2810'	150 sx.	1792' @ 75% Eff.
6-1/8"	5"		2810'-2855'		

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>	
1-1/4"	2.3# NU IJ WP-55	2808'	85	10' perf joint on bottom. Tubing stop welded above perf joint.

Formation Tops:

Ojo Alamo:	2240'
Kirtland Shale:	2337'
Fruitland:	2565'
Pictured Cliffs:	2807'

Logging Record:

Stimulation: SOF w/ 10,000 gal oil & 10,000# sand

Workover History: 6/73: MIRU. TOOH with 2-7/8" tbg. Rerun 1-1/4" tbg. Return to production.

Production History: 8/96 PC capacity: 8 MCF/D. 8/96 PC cum: 1,232 MMCF.

Pipeline: EPNG

Canyon Largo Unit #28

Section 5D, T-25-N, R-6-W

Rio Arriba County, NM

SOUTH BLANCO PICTURED CLIFFS WELLBORE SCHEMATIC

