



APPROVED

SUBMIT IN TRIPLICATE)

JUL 16 1956

UNITED STATES

DEPARTMENT OF THE INTERIOR

JERRY W. LONG
ACTING DISTRICT ENGINEER GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078909
Unit Lindrith Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Water Fracture	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 2, 1956

Well No. 5 is located 1650 ft. from SW line and 390 ft. from E line of sec. 19
SE Section 19 24N 2W 10PM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7055 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

6-30-56 Total Depth 307'.

Water fractured Pictured Cliff perforated intervals 3030-3040, 3048-3060 w/4 shots/ft. with 54,800 gallons water and 60,000# sand. Breakdown pressure 2250#, maximum pressure 1350#, average treating pressure 1200#. Injection rate 45.2 bbls./min. Flush 4000 gallons.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997

Farlington, New Mexico

By

[Signature]

Title Petroleum Engineer

