

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒	5. LEASE DESIGNATION AND SERIAL NO. SF-078885
2. NAME OF OPERATOR El Paso Natural Gas Company	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR Post Office Box 4289, Farmington, NM 87499	7. UNIT AGREEMENT NAME Canyon Largo Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1840'S, 1775'E	8. FARM OR LEASE NAME Canyon Largo Unit
14. PERMIT NO.	9. WELL NO. 201
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6774'GL	10. FIELD AND POOL, OR WILDCAT S. Blanco Pic. Cliffs
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 3, T-25-N, R- 6-W N.M.P.M.
	12. COUNTY OR PARISH Rio Arriba NM
	13. STATE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐	WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐	FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☒	SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
REPAIR WELL ☐	CHANGE PLANS ☐	(Other) ☐	

(Other) ☐

(NOTE: Report results of multiple completion on Well Completion or Reconpletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is intended to plug this well in the following manner:

MOL&RU. Release packer & TOOH. TIH to 2944' and spot 28 sx. cement to cover from the Pictured Cliffs perms to 50' above the top of the Ojo Alamo for a plug from 3015-2168'.

WOC 6 hrs. Tag plug and record top. Circulate 13 bbls. of 9.2# mud. Perforate 2 squeeze holes @ 179'. Circulate 57 sx. cement from surface and out bradenhead. Cut off wellhead and set dry hole marker w/10 sx. cement.

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]*

TITLE Drilling Clerk(CS)

DATE 04-05-88

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APR 05 1988


AREA MANAGER
FARMINGTON, NM

*See Instructions on Reverse Side

NMOCC

CANYON LARGO UNIT NO. 201

UNIT J SECTION 3 T25N-R6W
RIO ARriba CO. NEW MEXICO



TD 3025
PBTD 3015

CANYON LARGO UNIT NO. 201

UNIT J SECTION 3 T25N-R6W
RIO ARRIBA CO. NEW MEXICO

