

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF 078923

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Canyon Largo Unit

8. FARM OR LEASE NAME

Canyon Largo Unit

9. WELL NO.

265

10. FIELD AND POOL, OR WILDCAT  
Ballard Pictured Cliffs11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA  
Sec. 10, T-24-N, R-7-W  
NMPM

12. COUNTY OR PARISH 13. STATE

Rio Arriba

New Mexico

1. OIL ☐ WELL GAS ☒ WELL OTHER

2. NAME OF OPERATOR

El Paso Natural Gas Company

3. ADDRESS OF OPERATOR

PO Box 990, Farmington, NM 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface 1810'S, 1140'E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6743'GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled to 2310' T.D. and logged well. Found to be dry hole. Plugged well in the following manner  
on March 31, 1975:

Using drill pipe, spotted a 44 sks. (115 cu.ft.) Class "B" 65/35 Poz with 12% gel from T.D.  
to 50' above Fruitland (1925').

Spotted a second plug of 40 sk. (105 cu.ft.) Class "B" Poz with 12% gel from 50' below (1745')  
to 100' above Ojo Alamo (1445').

Spotted a third plug of 44 sks. (52 cu.ft.) Class "B" neat cement at 25' below 8 5/8" surface  
casing (161').

Spotted a 15 sks. (18 cu.ft.) Class "B" neat cement plug at surface. Installed a plug and  
abandonment marker and cleaned up location.

RECEIVED

APR 9 1975

U. S. GEOLOGICAL SURVEY  
SILVER SPRING, COLO.

18. I hereby certify that the foregoing is true and correct

SIGNED

*John Ryan*

TITLE Drilling Engineer

DATE April 1, 1975

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side