UNITED STATES

| 5. J | ÆASE | | |
|------|--------|--|--|
| ŞF | 080136 | | |
| | | | |

| DEPARTMENT OF THE INTERIOR | ŞF 080136 |
|--|---|
| GEOLOGICAL SURVEY | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9-331-C for such proposals.) | 7. UNIT AGREEMENT NAME |
| reservoir, Use form 9-331-C for such proposals.) | 8. FARM OR LEASE NAME |
| 1. oil Sas Dather | Salazar G Com |
| well well other | 9. WELL NO. |
| 2. NAME OF OPERATOR | # 3 BB |
| Merrion Oil & Gas Corporation | 10. FIELD OR WILDCAT NAME |
| 3. ADDRESS OF OPERATOR | Devils Fork Gallup |
| P. O. Box 1017, Farmington, New Mexico 87499 | 11. SEC., T., R., M., OR BLK. AND SURVEY OR |
| 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 | AREA |
| below.) | Sec. 22, T25N, R6W |
| AT SURFACE: 1810' FNL and 820' FWL | 12. COUNTY OR PARISH 13. STATE |
| AT TOP PROD. INTERVAL: Same AT TOTAL DEPTH: Same | Rio Arriba New Mexico |
| Salle | 14. API NO. |
| 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, | |
| REPORT, OR OTHER DATA | 15. ELEVATIONS (SHOW DF, KDB, AND WD) 6594' GL |
| REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: | |
| REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL SUBSEQUENT REPORT OF: | |
| FRACTURE TREAT | |
| SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MILITIPLE COMPLETE THE PROPERTY OF THE P | |
| REPAIR WELL | (NOTE: Report results of multiple completions on change on Form 9–330.) |
| PULL OR ALTER CASING U | CILEVEY CHANGE ON FORM 9-3300 |
| MULTIPLE COMPLETE | SUR |
| ABANDON* | |
| PULL OR ALTER CASING | |
| | |
| 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner | irectionally drilled, give subsurface locations and |
| | |
| Cm.d 3/4/03 | |
| Spud 3/4/83. | th 175 ex (206.50 cm. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit | h 175 sx (206.50 cu. ft.) |
| Set 201' of 8-5/8" surface casing @ 214' wit cement. | |
| Set 201' of 8-5/8" surface casing @ 214' wit cement. Subsurface Safety Valve: Manu. and Type | |
| Set 201' of 8-5/8" surface casing @ 214' wit cement. | |
| Set 201' of 8-5/8" surface casing @ 214' wit cement. Subsurface Safety Valve: Manu. and Type | Set @ Ft. |
| Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct Operations Manu. | Set @Ft. |
| Set 201' of 8-5/8" surface casing @ 214' with cement. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED TITLE Operations Manu. Manu. Title Operations Manu. Title Operati | Set @Ft. |
| Set 201' of 8-5/8" surface casing @ 214' with cement. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct signed Title Operations Man. (This apace for Federal or State of APPROVED BY | Set @Ft. |
| Set 201' of 8-5/8" surface casing @ 214' with cement. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct signed TITLE Operations Man. (This apace for Federal or State of State | Set @Ft. |

*See Instructions on Reverse Side