

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 S. Pacheco

Santa Fe, New Mexico 87505-6429

WELL API NO.

3003923392

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil / Gas Lease No.

E-1207

7. Lease Name or Unit Agreement Name

FARMING E

8. Well No.

3F

9. Pool Name or Wildcat

BASIN DAKOTA (PRORATED GAS)

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMI  
(FORM C-101) FOR SUCH PROPOSALS.

1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER

2. Name of Operator  
FOUR STAR OIL AND GAS COMPANY

3. Address of Operator  
3300 N. Butler Ave., Suite 100 Farmington NM 87401

4. Well Location  
Unit Letter D : 1160 Feet From The NORTH Line and 790 Feet From The WEST Line  
Section 02 Township T24N Range R06W NMPM RIO ARRIBA COUNTY

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 6450

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

ALTERING CASING ☐

PLUG AND ABANDONMENT ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent  
proposed work) SEE RULE 1103.

ng estimated date of starting any

FOUR STAR OIL & GAS CO. HAS COMPLETED THE FOLLOWING ON T

2/12/98 - ND WELLHEAD, NU BOP. PULL TUBING.

2/16/98 - RIH W/ CIBP, SET AT 6533'. SPOT 20 SX 'G' CEMENT ON TOP OF CIBP. PULL UP HOLE TO 5548'. SPOT 20 SX 'G' CEMENT FROM 5548' TO 5448'. PULL UP HOLE TO 3798'. SPOT 20 SX 'G' CEMENT FROM 3798' TO 3698'. PULL UP HOLE TO 3108'. SPOT 20 SX 'G' CEMENT FROM 3108' TO 3008'. PULL UP HOLE TO 2268'. SPOT 95 SX 'G' CEMENT FROM 2268' TO 1536'. PERFORATE 2 SQUEEZE HOLES AT 354'. OPEN BRADENHEAD VALVE. ESTABLISH CIRCULATION TO SURFACE. PUMP 131 SX 'G' CEMENT TO SURFACE, LEAVING CASING FULL OF CEMENT. ND BOP. RDSU. CUT OFF CASING. WELD ON P & A MARKER. CLEAR AND CLEAN LOCATION.

RECEIVED  
MAR - 3 1999  
OIL CONSERVATION DIV.  
SANTA FE, NM

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Operating Unit Manager

DATE 2/26/98

TYPE OR PRINT NAME Allen Davis

Telephone No. 325-4397

(This space for State Use)

APPROVED BY ORIGINAL SIGNED BY E. VILLANUEVA

DEPUTY OIL & GAS INSPECTOR, DIST. 1

DATE

JAN - 6 1999

CONDITIONS OF APPROVAL, IF ANY:

---

---

## WORKOVER PROGRESS AND SUMMARY REPORT

---

10-Feb-99

---

Operator: FSOG      Lease Name Well No.: FARMING E      3F  
Field: DAKOTA      County: RIO ARRIBA  
PURPOSE: PLUG & ABANDONMENT      Comm. Date: 2/12/98  
TD: 6850'      PBD: 6803'      Perfs. or OH: Top: 6583'      Bottom: 6784'  
Surf. Csg.: 8-5/8"      24#      #/FT @ 304'      TOC @ CIRC.      Est. No.: 119-26010  
Int. Csg. :      #/FT @      TOC @      Cash:  
Prod. Csg.: 5-1/2"      15.5#      #/FT @ 6844'      TOC @ 550'      MOH:  
Liner:      @      TOC @  
PREPARED BY: RANDALL PARKER      APPROVED BY: JIM YATES

---

---

### FINAL REPORT

Test @ Completion: Date:      Status:      BO      BW      CFD  
PI Grav. :      Ck:      TP:      MP Dia. :      SPM/LS:  
ESP DATA:      Perfs. or OH:      to:  
FINAL FIELD:  
Test Prior : Status      BO      BW      MCFD      Ck      TP  
O31 Status Change : From WO to

---

---

~~WORK PERFORMED~~

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**

2040 S. Pacheco

Santa Fe, New Mexico 87505-6429

WELL API NO.	3003923392
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil / Gas Lease No.	E-1207
7. Lease Name or Unit Agreement Name	FARMING E
8. Well No.	3F
9. Pool Name or Wildcat	BASIN DAKOTA (PRORATED GAS)
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	6450

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMITS  
(FORM C-101) FOR SUCH PROPOSALS.

1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator  
FOUR STAR OIL AND GAS COMPANY

3. Address of Operator  
3300 N. Butler Ave, Ste100 Farmington NM 87401

4. Well Location  
Unit Letter D : 1160 Feet From The NORTH Line and 790 Feet From The WEST Line  
Section 02 Township T24N Range R06W NMPM RIO ARRIBA COUNTY  
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 6450

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPERATION ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☒ FINAL ABANDONMENT NOTICE

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

FOUR STAR OIL & GAS CO. HAS COMPLETED PLUGGING THE SUBJECT WELL AND IS READY FOR FINAL ABANDONMENT APPROVAL:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rached Hindi TITLE Senior Engineer DATE 2/12/99

TYPE OR PRINT NAME Rached Hindi Telephone No. 325-4397

(This space for State Use)

APPROVED BY DEPUTY OIL & GAS INSPECTOR, DIST. #3 TITLE DEPUTY OIL & GAS INSPECTOR, DIST. #3 DATE 2/12/99

CONDITIONS OF APPROVAL, IF ANY:

2/12/98

MIRU FLINT RIG #4112. ND WELLHEAD. NU BOP. TOH W/ 2-3/8" EUE J-55 TBG. SDFN.

2/13/98

RU SCHLUMBERGER WIRELINE AND RIH W/ 5-1/2" CIBP AND SET @ 6533'. RD SCHLUMBERGER. TIH W/ 2-3/8" TBG. OPEN ENDED TO 6508'. RU DOWELL. MIXING PUMP ON TRUCK WOULD NOT WORK. RD DOWELL. SDFR.

2/16/98

RU DOWELL AND BROKE CIRCULATION. SPOTTED 20 SKS. CLASS G NEAT CEMENT ON TOP OF CIBP. RD DOWELL. PUH TO 5548'. RU DOWELL AND SPOTTED 20 SKS. CLASS G NEAT CEMENT F/ 5548' TO 5448'. RD DOWELL. PUH TO 3798'. RU DOWELL AND SPOTTED 20 SKS. CLASS G NEAT CEMENT F/ 3798' TO 3698'. RD DOWELL. PUH TO 3108'. RU DOWELL AND SPOTTED 20 SKS. CLASS G NEAT CEMENT F/ 3108' TO 3008'. RD DOWELL. PUH TO 2268'. RU DOWELL AND SPOTTED 95 SKS. CLASS G NEAT CEMENT F/ 2268' TO 1536'. RD DOWELL. POOH AND LD 2-3/8" TBG. ON FLOAT. RU SCHLUMBERGER WIRELINE AND PERFORATED 2 SQUEEZE HOLES @ 354'. RD SCHLUMBERGER. OPENED BRADENHEAD VALVE. RU DOWELL AND ESTABLISH CIRCULATION TO SURFACE. PUMPED 131 SKS. CLASS G NEAT CEMENT TO SURFACE LEAVING CASING FULL OF CEMENT. RD DOWELL. ND BOP. RDMO.

2/27/98

CUT OFF WELLHEAD AND ERECTED P&A MARKER. REMOVED DEAD MAN ANCHORS. CLEARED AND CLEANED LOCATION.  
REPORT.

FINAL