# DEPUTY OIL & GAS INSPECTOR ENVIRONMENTAL PROTECTION OFFICE

### JICARILLA APACHE TRIBE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

MAR 2 8 1997

P.O. BOX 507 **DULCE, NEW MEXICO 87528** 

## PIT REMEDIATION AND CLOSURE REPORT

Control of the Contro	229			
Operator: PNM Gas Se	rvices (Conoco	) Telephone:	324-3764	
Address: 603 W. Elm Street	Farmington, NM 87401	,		
Facility or Well Name:	Axi Apache r	n 7A		
<u></u>		, ,		
Location: Unit:	Sec. <u>/.3</u> T. 2	5 N R. 4W CO	unty Rio Arriba	
Pit Type: Separator		Other	<u></u>	
Land Type: Jicarilla Apache				
Pit Location: Pit dime	nsions: length <u>2</u>	5 width 24	depth 4	_
(Attach diagram) Reference	ce: wellhead X	other		
Footage	from reference: /26	/		<u> </u>
Direction	n from reference: Strnight	Degrees East	North	
5555.	<u> </u>	of	<del></del>	
		× West	South	
	and the second s	****		
Depth to Ground Water:		Less than 50 feet	(20 points)	
(Vertical distance from contaminants		50 feet to 99 feet	(10 points)	0
to sessonal high water elevation of ground water)	DECENVE	Greater than 100 feet	( 0 poi <b>nts)</b>	
		Yes	(20 points)	X
Wellhead Protection Area:	JAN 2 4 1997	No	( 0 points)	$\frac{\omega}{\omega}$
(Less than 200 feet from a private domestic water source, or; less than 1,000 feet from all		•		
other water sources)	OM COM. DI	7	(20 mainte)	
Distance to Surface Water:	DIST. 3	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points)	~ _
(Horizontal distance to parenties	काला॰ श्र	Greater than 1,000 feet	( O points)	10
creeks, imgetion canals and ditches)				
Distance to Ephemeral Stream	m (dry wash):	ss than or equal to 100 feet	(10 points)	ا مین
(Honzontal distance to all downgradient	-	Greater than 100 feet	(0 points)	
streams having a width of at least 10 feet)				
Distance to Nearest Lake, Pla	aya, or Watering	ss than or equal to 100 feet Greater than 100 feet	(10 points)	0
Pond:	. •	Gigates trials 100 leet	(0 points)	
(Honzontal distance to all downgradient lakes, playas, and livestock or wildlife				
water ponds)				
}	DAI	NKING SCORE (TOTAL	POINTS) :	0
	I VAI	(		

Date Remediation Started	1: 9/11/96	Date Completed: /0-/-96
Remediation Method:	Excavation X	Approx. Cubic Yards 87
(Check all appropriate	Landfarmed	Amount Landfarmed (cubic yds):
sections)	Other	
Remediation Location:	Onsite	Offsite Jicanilla Landfarm
(i.e., landfarmed onsite, name and location of offsite facility)		
General Description of I	Remedial Action: 20n taminated 50	oil from all four side
walls As	to get a below	100 ppm hand Space
reading.	Sotton with 50	olid stand stone vock.
Ground Water Encount	ered: No X Yes	Depth
Final Pit Closure Sampling:	Sample Location North	, East, South and West walls.
(if multiple samples, attach sample result and diagram of	Sample depth 4/	
sample locations and depths.)	Sample date $9/11/96$	Sample time 0930
	Sample Results	
Soil:	Benzene (ppm) <0.0002	Water: Benzene (ppb)
	Total BTEX (ppm 0,00/3	Toluene (ppb)
	Field headspace (ppm)	
	TPH <5,0 ppm Method	8015 Total Xylenes (ppb)
Ground Water Samp	le: Yes No	(If yes, attach sample results)
•		TRUE AND COMPLETE TO THE BEST OF MY
KNOWLEDGE AND MY	3 / / .	NTED NAME Ronald A. Dedrick
SIGNATURE PO	COOD 1	ID TITLE Environmental Technician II
	7/10	D TITLE ENVIOUREMENT TO STATE OF THE PARTY O
	HE PIT CLOSURE INFORMATION, F E TRIBE PIT CLOSURE ORDINANC	PIT CLOSURE IS APPROVED IN ACCORDANCE CE.
APPROVED: YES _	NO (REASO	ON):
SIGNED: KON	mand DA	TE: 9-17-96

HXI HPACLE IN 1H

Sec. 13 F25N R4W Unit J

Conoco

BBL

TANK

SE

PNM pit

OFF: (505) 325-5667



LAB: (505) 325-1556

#### Diesel Range Organics

Attn:

Denver Bearden

Date:

11-Sep-96

Company: PNM Gas Services

COC No .:

5273

Address:

603 W. Elm

Sample No.

12126

City, State: Farmington, NM 87401

Job No.

2-1000

Project Name:

PNM Gas Sevices - Axi Apache M-7A

Project Location: Sampled by:

9609110930; 4pt. Composite PA

Date: Date:

11-Sep-96 Time:

9:30

Analyzed by:

DC/BV

11-Sep-96

Sample Matrix:

Soil

#### Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

#### Quality Assurance Report

DRO QC No.:

0489-QC

#### Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	93	7.1	15%

Matrix Spike


Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	98	114	(70-130)	11	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -





LAB: (505) 325-1556

#### AROMATIC VOLATILE ORGANICS

Attn: Denver Bearden Date:

12-Sep-96

Company: PNM Gas Services

COC No.:

5273

Address:

603 W. Elm

Sample No.:

12126

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Axi Apache M-7A

**Project Location:** 

9609110930; 4pt. Composite

Date:

11-Sep-96 Time:

9:30

Sampled by: Analyzed by: PA DC

Date:

11-Sep-96

Sample Matrix:

Soil

#### Laboratory Analysis

Parameter		Result	Unit of Measure	Detection Limit	Unit of Measure
Benzene		<0.2	ug/kg	0.2	ug/kg
Toluene		<0.2	ug/kg	0.2	ug/kg
Ethylbenzene		< 0.2	ug/kg	0.2	ug/kg
m,p-Xylene		1.3	ug/kg	0.2	ug/kg
o-Xylene		<0.2	ug/kg	0.2	ug/kg
	TOTAL	1.3	ug/kg		

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: