

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☐ OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator
FOUR STAR OIL AND GAS COMPANY

3. Address and Telephone No.
3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter L : 1650 Feet From The SOUTH Line and 660 Feet From The

WEST Line Section 32 Township T25N Range R05W

5. Lease Designation and Serial No.

JIC 68

6. If Indian, Alottee or Tribe Name

JICARILLA

7. If Unit or CA, Agreement Designation

8. Well Name and Number

JICARILLA B

5

9. API Well No.

3003905723

10. Field and Pool, Exploratory Area
BLANCO P.C. SOUTH (PRORATED GAS)

11. County or Parish, State

RIO ARRIBA, NM

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

☒ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ OTHER:

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

FOUR STAR OIL AND GAS CO. HAS COMPLETED THE FOLLOWING ON THE SUBJECT WELL:

8/26/97 - MIRU, ND WELLHEAD. NU BOP. PULL TUBING. RIH W/ CIBP, SET AT 2601'. FILL WELLBORE WITH LEASE WATER. SPOT 12 SX 'G' CEMENT ON TOP OF CIBP. PERF 2 SQUEEZE HOLES AT 1934'. RIH W/ CEMENT RETAINER, SET AT 1893'. SQUEEZE 56 SX 'G' CEMENT INTO OJO ALAMO PERFS AT 1934'. STING OUT OF RETAINER AND SPOT 6 SX CEMENT ON TOP OF RETAINER. PULL UP 2 JTS AND REVERSE OUT EXCESS CEMENT. PERF 2 SQUEEZE HOLES AT 376'. OPENED BRADENHEAD VALVE. PUMP INTO SQUEEZE HOLES TO ESTABLISH CIRCULATION TO SURFACE. PUMP 279 SX 'G' CEMENT. CIRCULATE CEMENT TO SURFACE, LEAVING CEMENT INSIDE CASING AND OUTSIDE AT SURFACE. CUT OFF WELLHEAD AND ERECT P & A MARKER. CLEAR AND CLEAN LOCATION.

97 DEC 17 PM
ALBUQUERQUE

RECEIVED
FEB - 9 1998
OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct.

SIGNATURE

TITLE Operating Unit Manager

DATE

12/11/97

TYPE OR PRINT NAME

Allen Davis

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

Surface copy attached for (original mailed w/ NOI)
Lands and Mineral Resources

DATE FEB 05 1999

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Rio Puerco Resource Area

435 Montano N.E.

Albuquerque, New Mexico 87107

IN REPLY REFER TO:

3162.3-4 (017)

Jic Cont 68

Four Star Oil and Gas Company
3300 N. Butler Avenue
Suite 100
Farmington, NM 87401

APR 2 1997

pmc
2/22/97

Dear Sir:

The following conditions of approval must be complied with (as applicable) before the Jicarilla B #5 well located 1650' FNL & 660' FEL Section 32, T. 25 N., R.5 W., can be approved for final abandonment. We are supplying these conditions for surface restoration with your approved Notice of Intent of well abandonment.

1. All fences, production equipment, purchaser's equipment, concrete slabs, deadman (anchors), flowlines, risers, debris and trash must be removed from the location.
2. Any oily soil or fluids must be properly disposed of in an approved disposal area.
3. Pits must be filled in and the edges of the pads shaped to conform to the natural terrain.
4. Pads must be leveled, dressed up by a maintainer, ripped and disked.
5. Access roads must be leveled, waterbarred, disked and blocked off with earthen berms at the junction with the main road and at the entrance to the well pad. Waterbars should be spaced as shown below.

% Slope	Spacing Interval
Less than 2%	200'
2 to 5%	150'
6 to 9%	100'
10 to 15%	50'
Greater than 15%	30'

All waterbars should divert water off the road.

6. All disturbed areas will be seeded with the prescribed seed mix (reseeding may be required). Reseeding should be done using pounds pure-live seed per acre. To avoid the introduction of noxious weeds, only certified seed should be used. The following seed mix is suggested unless otherwise recommended by the BIA, Jicarilla Agency, Real Property Office.

Western Wheat Grass 8
Intermediate Wheat Grass 9
Galleta Grass 2
Alkali Sacaton 1
Blue Gramma 1

After one growing season, notify us by Sundry Notice of Final Abandonment. We will schedule an inspection to check the well site and surface restoration. Final approval for surface restoration will be given in concurrence with the BIA, Jicarilla Agency, Real Property. We should be provided with a letter from the fee owner stating that the surface restoration is satisfactory.

If you have any questions, please contact Patricia M. Hester at (505) 761-8786.

Sincerely,

Joe Incardine

Joe Incardine
Chief, Lands and Minerals