



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, New Mexico
Lesse No. NM-015014
Unit -----

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 17, 1959

Well No. 1 is located 990 ft. from N-S line and 890 ft. from E-W line of sec. 25

SW/4 Section 25 25 North 6 West NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Dakota - Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6675 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands, show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 7140, PD 7094. 5 1/2", J-55, 15.5# & 17.0# 7140. Perforated 4 holes per foot 6907-6916, 6960-6974, 7000-7008. I.P. 180 MCFGPD.

Propose to perform:

1. Pull tubing
2. Jet perforate 4 holes per foot 6936-6960
3. Jet frac 6910, 6940, 6950, 6955, 6965, 6970, 7005
4. Water frac 6907-7008.
5. Test
6. If above operations are successful in demonstrating commercial production:
7. Set Baker Model D packer @ 6700'.
8. Jet perforate 4 holes per foot 5952-6038.
9. Sand-oil frac 5952-6038

(continued on next page)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company KERN COUNTY LAND COMPANY

Address 304 Korber Building
Albuquerque, New Mexico

By John S. Baker
Title District Geologist

U. S. G. S.
Notice of Intention to Re-Drill or Repair Well
August 17, 1959
Page Two

9. Test
10. Dual complete as per "Application for Dual Completion" dated June 23, 1959, filed with New Mexico Oil Conservation Commission and approved by Commission Order No. DC-787.

If operations 1-5 are unsuccessful in demonstrating commercial production:

11. Set bridge plug @ 6700'.
12. With dump bailer, place 4 sacks cement on top of bridge plug.
13. Jet perforate 4 holes per foot 5952-6038.
14. Sand-oil frac 5952-6038.
15. Test & complete.

the first of these is the fact that the
the first of these is the fact that the
the first of these is the fact that the

the first of these is the fact that the
the first of these is the fact that the
the first of these is the fact that the

the first of these is the fact that the
the first of these is the fact that the
the first of these is the fact that the

the first of these is the fact that the
the first of these is the fact that the
the first of these is the fact that the
the first of these is the fact that the
the first of these is the fact that the