


(SUBMIT IN TRIPLICATE)

Land Office New Mexico
Lease No. 10055
Unit Federal

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

RECEIVED
NOV 12 1959
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 10, 19 59

Well No. 24-1-C is located 1730 ft. from [N] line and 1650 ft. from [E] line of sec. 24
NE/4 Sec. 24 25N 2W M.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cavalin P. C. Ext. Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7470 ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 10-31-59 Total Depth 3041'.

Run 09 joints 7 1/2", J-55, 15.5# casing (3630') set at 3040' w/16 sacks regular cement, 16 sacks Diamix, 1/4 cu. ft. Strata-Crete 16#/sk & 2# Gel, followed w/50 sacks regular cement.

Held 1000#/30 minutes.

Top of cement by temperature survey at 2600'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company
Box 977
Address Farmington, New Mexico

By ORIGINAL SIGNED J.J. TILLERSON
Title Petroleum Engineer