

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

3. LEASE DESIGNATION AND SERIAL NO.
NM 0149964-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug a well. Use "APPLICATION FOR PERMIT—" for such purposes.)

RECEIVED

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐
OCT 21 1985

2. NAME OF OPERATOR
Grace Petroleum

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Blakely 23

3. ADDRESS OF OPERATOR
143 Union Blvd., Suite 760, Lakewood, CO 80228

9. WELL NO.
6

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT

Escrito-Lybrook/Gallup

2170' FNL & 1120' FWL

11. SEC. T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 23, T24N-R7W

14. PERMIT NO.

15. ELEVATIONS (Show whether KB or GL)

6761' KB, 6752' GL

12. COUNTY OR PARISH

Rio Arriba

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) T&A

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Subsequent Sundry for the T&A of the Blakely #23-6

1. (10/8/85) MIRU Service Rig
2. POOH w/tbg & Packer. LD packer
3. PU & RIH w/Baker CIBP. Set @ 5368'
4. Spotted 7 sxs cmt. on top of CIBP
5. Pulled 4 jts & displaced hole w/pkr. fluid
6. POOH w/tbg & LD setting tool
7. TIH w/158 jts.
8. SI well & RD Service Rig (10/10/85)

Expires 11-1-86

RECEIVED

NOV 01 1985

OIL CON. DIV.
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED Bill Baswell

TITLE Operations Engineer

DATE 10/18/85

Bill Baswell

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY _____

TITLE _____

DATE OCT 30 1985

CONDITIONS OF APPROVAL, IF ANY:

FARMINGTON RESOURCE AREA

BY Sm

*See Instructions on Reverse Side

NMOCC

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

TEA'd

DATE 10/8 To 10/11/85

FIELD
ESCRITO - Lybeek

TOUR

LEASE
BLAKELY

WELL NUMBER
23-6

TUBING STRING DATA

ROD STRING DATA

PUMP	OUT	PUMP NUMBER			MAKE	TYPE			SIZE										
		PLUNGER SIZE AND TYPE			O.D.	TYPE LOCK			PREVIOUS 5 P.M.		LENGTH STROKE		IN.						
	IN	PUMP NUMBER				MAKE	TYPE			SIZE									
		PLUNGER SIZE AND TYPE			O.D.	TYPE LOCK			PUT WELL ON		AM PM	S.P.M.		LENGTH STROKE		INS.			
CLEAN OUT	BAILER SIZE O.D.		TYPE AND LENGTH			BAILED FROM		TO		FLUID LEVEL		FT.		AM PM		FT.		AM PM	
	RECOVERED									WATER LEVEL		FT.		AM PM		FT.		AM PM	
										IMPRESSION BLOCK		SIZE		STOPPED AT		INDICATES			
HOIST NUMBER			RIG HOURS	TRAVEL TIME	SAND LINE	CREW ON		AM PM	CREW OFF		AM PM	NO. OF MEN	MAN HOURS		☐ COM- PLETED		☐ NOT COM- PLETED		

REMARKS (IF MORE SPACE NEEDED, USE BACK SIDE)

10/8/85 Day 1: Big 'A' Well SERVICE: Move Rig From Connie #28-1 & SPOT ON Location:

DWC: \$ 314.00 CWC: \$ 314.00

10/9/85 DAY 2: Rig up, Kill well, UNFLANGE WELL HEAD & work w/ PACKER, wouldn't
RELEASE, SDFN, will have BAKER out in AM to help RELEASE PACKER

Rq: 1080⁰⁰ Dwc: A 1080⁰⁰ Cwc: 1394⁰⁰

10/10/85 DAY 3: RELEASE PACKER, STRIP ON BOP, TOOH w/ 170 yds of 2 3/8" Tbg, BAKER LOC-SET Packer, 8 yds, S.N. # 6' Perf sub Bull Plugged. PU RIH with BAKER CIBP TO 5368', SET Plug, POOH w/ 6 yds, RU BJ & Pump 75X CMT, PU 4 yds & Circ Hole w/ Packer fluid, POOH w/ Tbg, Laying Down 20 yds & BAKER setting tool, RIH w/ 158 yds, Remove BOP & NU Wellhead.
Rq: 1791⁰⁰ WRE TRUCK: 400⁰⁰ BJ 2000⁰⁰ EST. BAKER 1330⁰⁰

DWC: 5471.50 CWC: 6865.50

(over)

PRODUCTION FOREMAN OR ENGINEER

HEAD WELL PULLER

Carl Hufford

Big 'A' Well SERVICE (Ed)

MARKS (CONTINUED)

10/11/85 DAY 4: Rig Down MOL. Dux: 374¹⁰ CWC: #7239⁶⁰