For (F	m 9- Teb. 19	331 a (51)	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office			
	lasta	R	H.H.
Lease No.		MA	
Unit			-

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK N	IATURE OF REPORT, NOTICE, OR OTHER DATA)
ell No is located ft. from_	$\left\{ egin{array}{ll} N \\ N \end{array} \right\}$ line andft. from $\left\{ egin{array}{ll} E \\ W \end{array} \right\}$ line of sec
is located 11. It in it.	inte and the rection with the or sec.
4 Souther (SNo.) 25 Charth &	(aridian)
the Marie	Subdivision)
e elevation of the derrick floor above sea leve	olis ft
	Diam'r.
	S OF WORK
ite names of and expected depths to objective sands; show sizes	, weights, and lengths of proposed casings; indicate mudding jobs, coment-
te names of and expected depths to objective sands; show sizes ing points, and all oth	, weights, and lengths of proposed casings; indicate mudding jobs, cement- ner important proposed work)
names of and expected depths to objective sands; show sizes ing points, and all oth the same of the sa	weights, and lengths of proposed casings; indicate mudding jobs, cement- ner important proposed work) 15 13-40 caling communited 0 336.40 . Ren
names of and expected depths to objective sands; show sizes ing points, and all oth names of and expected depths to objective sands; show sizes ing points, and all oth names of and expected and sizes in the same of a	weights, and lengths of proposed casings; indicate mudding jobs, cement- ner important proposed work) 15 13-40 enting commuted @ 336.40°. Rem labor 3-ct-us tend @ 3664°. Rem 30
nt depth 7000°. 7° hele, 10-3/4° 31 jes 7000°. 7° hele, 10-3/4° 31 jes 7000°.38° 7° 230 3-60 easing, 1 trailment, 8 bushete, 72 component, pet and 100 gashe regular comme.	weights, and lengths of proposed casings; indicate mudding jobs, cement- ner important proposed work) If 3-40 entity commuted @ 336.60°. Ren labor 3-eritys tool @ 3664°. Ren Commuted Lat stays with 250 cochs plus limitum commuting processes 16000. After
nt depth 7000°. 7° hale. 10-3/4° M for 7000°. 7° hale. 10-3/4	weights, and lengths of proposed casings; indicate mudding jobs, cementary important proposed work) If 3-40 enting commuted @ 336.40°. Rem labor 3-crease tend @ 3664°. Rem 30 Commuted Lat stage with 300 cache plus limitum commuting processes \$600°. After beingstakens survey. Top of commut 3883°.
nt comes of and expected depths to objective sands; show sizes ing points, and all other states of the same of the	weights, and lengths of proposed casings; indicate mudding jobs, cementary important proposed work) 15 3-40 enting communicat © 336,60°. Rem Labor 3-crime took © 3664°. Rem 30 Communicat Lat stone with 250 section plans Landman communicating processes 16000°. After Landman communicating processes 16000°. After Landman communicating processes 16000°. Landman communicating processes 16000°. Landman communicating processes 16000°. Landman communicating processes 16000°.
nt depth 7000°. " hale. 10-3/4" M Jes 7000'. " hale. 10-3/4" M Jes 7000:35° 7" 230 N-00 eachag. I regions, 8 bushete, 72 sevetchere. Jet and 100 cache regular commt. I /2 has 100 receased pressure 4 year mand had stope with 100 cache 4% or 7 has. han buspershare servey. To min. 6%, Drilled out stope coller 6	weights, and lengths of proposed casings; indicate mudding jobs, comentary important proposed work) If 3-40 enting comented § 336.40°. Rem Labor 3-ericus toni § 3664°. Rem 30 Generated lest steps with 300 eachs plus liminum comenting processes 16000°. After keypondarie survey. Top of comes 3223°. If coment. Mudaum commuting processes 3600°. In coment 2630°. Tented enging to 1800°.
at enames of and expected depths to objective sands; show sizes ing points, and all others. All depth 7000's 9" hole. 10-3/4" 31 jee 7000; 33' 7" 230 3-50 conting. It residences. It conting. It residences. It conting. It was 100 conting require comme. It was 100 conting with 100 conting 41 conting 100 conting with 100 conting 41 conting 100 conting 10	weights, and lengths of proposed casings; indicate mudding jobs, comentary important proposed work) M 3-40 enting comented § 336.40°. Rem Labor 3-crops tend § 3664°. Rem 30 Commanded Lat stage with 200 eachs plus liminum commuting processes 16000°. After lengths and anything processes 1600°. A command. Markons commuting processes 1600°. In command. Markons commuting processes 1600°. In command 1625°. Tented cooling to 1600°. In command to 6021°.
al depth 7000°. " hale. 10-3/4" M the 7000's. " hale. 10-3/4" M the 7000's." 7" 130 N-60 eacing. I trailents, I bushets, 72 countehors. et and 100 make regular commt. I /2 hrs WC released pressure & year matel had stone with 100 make 4% or 7 hrs. han temperature survey. To	weights, and lengths of proposed casings; indicate mudding jobs, cementary important proposed work) 18 3-40 enting communed @ 336,40°. Rem 18 3-40 enting communed @ 336,40°. Rem 18 3-40 enting communed @ 3464°. Rem 30 18 Communed Lat stage with 200 enting plus 18 communed to survey. Top of commune 2000°. 18 communed 2000°. Temporal commune 2000°. 19 communed 2000°. Temporal communed 2000°. 18 communed 2000°.
ing points, and all other in the points and all other in the points of t	weights, and lengths of proposed casings; indicate mudding jobs, cementary important proposed work) If B-40 entire constitut @ 356.40°. Rem Indian B-67-the tradi @ 3664°. Rem 30 Constitut at atoms with 300 enchs plus Indiana constitut processes \$6000. After being substitute annual atoms and atoms be account \$635°. Tempose constitute processes \$6000° be account to 6001°.
ing points, and all other and all depth 7000°. " hale. 19-3/4" M jee 7000; 33° 7° 230 H-80 ensing. It reliances, I beneate, 72 companies, 100 ensing and 100 ensite requires comme. It was the stage with 190 ensite 4% of 7 hrs. han burgarahare survey. To min. 6%. Brillied out stage collar of understand that this plan of work must receive approval in w	M 9-40 enting comented @ 336,40°. Rem Labor 3-ettins tend @ 3664°. Rem 30 . Commented Let steps with 200 eachs plus Hadron committing processes \$6000. After Laupenthine sourcey. Top of commit 3243°. In commit. Hadron committing processes \$6000. In commit 2630°. Tented capting to \$6000. In commit to 6051°.
ing points, and all others. 10-3/4" Miles 7000; 33" 7" 230 30-50 energy. It was an a 100 energy of the	M 3-40 enting commuted @ 336.40°. Rem Labor 3-crims toni @ 3664°. Rem 30 . Commuted Lat stage with 300 costs plus liminum commuting processes 16000. After kemperature survey. Top of commut 3223°. ni commut. Mushum commuting processes 3223°. np commut 2625°. Tented enging to 25000° is equant to 6931°.
ing points, and all other and all depth 7000°. There is a section, it is a section, it is a section, it is a section, it is a section and 100 cache requires comme. It is a section at the section of processes 4 years of the section	M 3-40 enting commuted @ 336.40°. Rem Labor 3-crims toni @ 3664°. Rem 30 . Commuted Lat stage with 300 costs plus liminum commuting processes 16000. After kemperature survey. Top of commut 3223°. ni commut. Mushum commuting processes 3223°. np commut 2625°. Tented enging to 25000° is equant to 6931°.
ing points, and all other in the state of th	M 9-40 enting comented @ 336,40°. Rem Labor 3-ettins tend @ 3664°. Rem 30 . Commented Let steps with 200 eachs plus Hadron committing processes \$6000. After Laupenthine sourcey. Top of commit 3243°. In commit. Hadron committing processes \$6000. In commit 2630°. Tented capting to \$6000. In commit to 6051°.