



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office San Juan
Lease No. 87-077712-1
Unit _____
Co. Loc. No. 239549

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

TANNER UNIT

Farmington, New Mexico July 25, 19 57

Well No. 1 is located 1010 ft. from LINE line and 970 ft. from LINE line of sec. 21
1/4 Section 21 T-21-N R-17-W
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
 Tanner Unit San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is later ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded at 9:15 P.M., 7/1/57

7/21/57: Set 9-5/8" at 301' w/300 sacks 3% calcium chloride cement. P.M. 3:35 P.M., 7/21/57.

7/22/57: Tested casing w/700' - O.K. Drilled plug at 3:35 P.M., 7/21/57.

7/23/57: DST #1 from 900' - 1080' w/1" TC & 3/4" BC. TO 1 hr. Strong blow - weakening at end. Recovered 550' drilling mud. Initial mud 610% Min. fl. 200%, Max. fl. 320%, Final 610%. After 30 min. BU satisfactory.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company
 Address Box 1268
Farmington, New Mexico



COPY ORIGINAL SIGNED: R. M. LILLY
 By Russell W. Lilly
 Title Dist. Supt.