Form 9-331 a (Feb. 1951)

		U
·	22	

(SUBMIT IN TRIPLICATE)

Land Office	Janta Fe
Lease No.	07 8 8 6 0
Unit	

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

Unnamed San Juan (Yese, and Sec. No.) (Field) (County or Subdivision) (County or Subdivision) (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) Gulf Designation: Largo-Federal "B" #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 54,00°. Approximately 275° of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted 5-1/2" OD production easing will be set and cemented. All possible for a corrizons will be adequately cored and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be common formation. P. O. Boy 26		· · · · · · · · · · · · · · · · · · ·	·			<u> </u>			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RECORLL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 1 is located 840 ft. from Notice of INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 2 is located 840 ft. from Notice of REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (Indicate Above By Check MARK NATURE	NOTICE OF I	INTENTION TO DRILL		I X	SUBSEQUENT R	EPORT OF W	ATER SHUT-OFF		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO DEAL ATER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Intention to Abandon Well (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Intention to Abandon Well (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) 3-5 Well No. 1 is located SAO ft. from. Notice of Other DATA) (Keance) MEPIN. (Keance) Meridian Notice of Other DATA (NOTICE OF I	INTENTION TO CHANGE PLA	NS						
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 1 is located SAC ft. from Notice of REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 2 24N MRPM (Range) (Meridian) The Mark Mark Sec. No.) (Pield) (Range) (Meridian) (Field) (Range) (Meridian) The elevation of the derrick floor above sea level is ft. (Will furnish later) DETAILS OF WORK (State names of and expected depths to objective sands; and all other important proposed work) Gulf Designation: Largo-Federal "BB #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400°. Approximately 275° of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted and the surface of t	NOTICE OF I	INTENTION TO TEST WATER	SHUT-OFF	.				1 1 1 × 1	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) 3-5 Well No. 1 is located 840 ft. from. Notice or Other DATA 3-5 Well No. 2 2 24N	NOTICE OF I	INTENTION TO RE-DRILL OF	REPAIR WELL	.					
Well No. 1 is located SAO ft. from SI line and 790 ft. from SI line of sec. NE/4 NE/4 of Sec. 22 2/N SW MAPM (K Sac. and Sec. No.) (Twp.) (Range) (Meldian) The elevation of the derrick floor above sea level is ft. (Will furnish later) DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed worth) It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400'. Approximately 275' of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted for incommercial production assing will be set and cemented. All possible for incommercial production is encounted for surface and or incommercial production is encounted for surface. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be core, and company Quiff Oil Corporation P. O. Box 38 Durango, Colorado By	NOTICE OF I	INTENTION TO SHOOT OR A	CIDIZE						
Well No. 1 is located 840 ft. from S line and 790 ft. from C line of sec. NE/4 NE/4 of Sec. 22 2/N NE/4 NE/4 NE/4 of Sec. 22 2/N NE/4 NE/4 NE/4 NE/4 of Sec. 22 2/N NE/4 NE/4 NE/4 NE/4 NE/4 NE/4 NE/4 NE	NOTICE OF I	INTENTION TO PULL OR ALT	TER CASING				37 N	\$10 <u>0</u> 040	
Well No. 1 is located 840 ft. from No. 1 in located 840 ft. (Gange) (Meridian) No. 1 in located 840 ft. (Gange) (Meridian) No. 1 in located 840 ft. (Gange) (Pield) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. (Will furnish later) DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) Gulf Designation: Largo-Federal 85	NOTICE OF I	INTENTION TO ABANDON WE	ELL				146	The state of	
Well No. 1 is located 840 ft. from No. 1 in located 840 ft. (Genze) (Meridian) No. 1 in located 85		(INDICATE	A. DOLLE D. V. GLEROLE	<u> </u>					
Well No. 1 is located 840 ft. from No. 1 line and 790 ft. from E line of sec. NE/4 NE/4 of Sec. 22 24N 9W NEMPM (38 Sec. and Sec. No.) Unnamed San Juan (Floid) DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding joking points, and all other important proposed work) Gulf Designation: Largo-Federal "B" #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400. Approximately 275' of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted to proposed to drill be set and cemented. All possible proposed and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be corking Qulf 011 Corporation Qulf 011 Corporation P. O. Box 38 Durango, Colorade Durango, Colorade Durango, Colorade Durango, Colorade Durango, Colorade New Mexico (Meridian) New Mexico (State or Territory) The elevation of the derrick floor above sea level is ft. (Will furnish later) DETAILS OF WORK (State or Territory) New Mexico (State or Territory) (State or Territory) New Mexico (State or Territory) (Will furnish later) New Mexico (State or Territory) New Mexico (State or Territory) (State or Territory) New Mexico (State or Territory) New Mexico (State or Territory) (Will furnish later) New Mexico (Wi		(INDICATE	ABOVE BY CHECK MAK	KNAIU	RE OF REPORT, N		THER DATA)		
NE/4 NE/4 of Sec. 22 24N (Ya Sec. and Sec. No.) Unnamed (Ya Sec. and Sec. No.) (Field) (County or Subdivision) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) Gulf Designation: Largo—Federal "B" #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400. Approximately 275; of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted 5-1/2" OD production casing will be set and cemented. All possible productions will be adequately cored and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be common fulf Oil Corporation Address P. O. Box 38 Durango, Colorado By						3-5			, 19.5
Unnamed San Juan (Range) (Range) (Range) (Meridian) New Mexico (Range) (Range) (Range) (Range) (Range) (Range) (Range) (Meridian) New Mexico (State of Territory) DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) Gulf Designation: Largo-Federal "B" #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 54,00°. Approximately 275° of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted to 1,20° OD production casing will be set and cemented. All possible portions will be adequately cored and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be common for in the company of the compan				n_ [N	line and	790 ft.	. from $\frac{E}{E}$	line of sec.	22
The elevation of the derrick floor above sea level isft. (Will furnish later) DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) Gulf Designation: Largo-Federal "B" #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400°. Approximately 275° of 8-5/8" OD surface will be set and commented to surface. If commercial production is encounted to production easing will be set and commented. All possible productions will be adequately cored and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be confund to the company of the core operations. The company of the confundation of	NE/4 RE/	/4 OI Sec. 22		- 9W	·			The second	
The elevation of the derrick floor above sea level isft. (Will furnish later) DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) Gulf Designation: Largo-Federal "B" #1 It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400°. Approximately 275° of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted 5-1/2" OD production casing will be set and cemented. All possible productions will be adequately cored and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be common of the derivation of the derivation of the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations and the company of the Geological Survey before operations are company of the Geological Survey before operations and the company of the Geological Survey before operations are company of the Geological Survey before operat	Unnamed	e. and sec. No.)		(Rang	2)	(Meridian	•		
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding job ing points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed work) State names of and expected depths to object mudding job ing proposed work) State names of and expected depths to object mudding job ing proposed work) State names of and expected depths of state names of an all other important proposed work) State names of and expected depths to object mudding job ing proposed work) State names of and expected depth of 5400°. Approximately 275° of 8-5/8° OD surface of 8-5/8° OD surfa		(Field)		or Subc	ivision)	/			
It is proposed to drill a development well to test the Gallup formation to approximate total depth of 5400. Approximately 275; of 8-5/8" OD surface will be set and cemented to surface. If commercial production is encounted 5-1/2" OD production casing will be set and cemented. All possible productions will be adequately cored and/or tested. I understand that this plan of work must receive approval in writing by the Geological Survey before operations amay be common formation. Address P. O. Box 38 Durango, Golorado By			jective sands; show siz	zes, wei	ghts, and length	ns of proposed sed work)	d casings; indic	ate mudding jo	bs, comes
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be command. Quif Oil Corporation Quif Oil Corporation P. O. Box 38 Durango, Colorade	ulf Desi	ignation: Largo	-Federal "B"	#1				2 · *	Ì
Address Durango, Colorado Gulf 0il Corporation P. 0. Box 38 Durango, Colorado By	rill be s -1/2 OD orizons	et and cemented production cas will be adequat	to surface. ing will be a	opro: If set : i/or	cimately a commerciand commer	275; of al produ ted. Al	8-5/8# Option is in the state of the state o	D surface encount	pipered,
Address P. O. Box 38 Durango, Golorado By	I understand			writin	by the Geologi	cal Survey be	efore operation	may be comm	ficed.
	ompany	darr orr oorbo	ranton		<u>-</u>				
	Address	P. O. Box 38		,	ell by or	•	,		
Title Area Production Superin		Durango, Colors	ad o	e st	$\mathbf{B}_{\mathbf{y}}$		\$		-*
Title					T:+1_	Area P			
GPO					Title				

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

ection A.				Da	ate 3-5-58
perator Gulf Oil ell No. B-1 coated 840 county San Juan ame of Producing 1		Section	22 790	Feet From Dedicated Acre Pool	24 North Range 9 West NMP m East Lin page 40 Acre
If the answe by communiting the community of Corrections of Corrections of the correction of the corre	r to question one ization agreements olidation	is "no," have the or otherwise? Y	e inte	rests of all the	on the plat below? o owners been consolidated f answer is "yes," respective interests below
	Owner	· ·		Land	Description
					MAR 6 1958 U.S. GEVEL ACAL MAY
etion. B					FARMINGTON, POR MEX
			(4)	840'	This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.
					(Representative)
		OIL	RIAN S		Address Furance, Colorado This is to certify that the well location of colorado from field notes of colorado surveys inche by a decimal my superstation of the
			400	2	the best belief. Date Surveyed 163. 27. 195 Ennest V. Echohawk Registered Land Surveyor.

