
(SUBMIT IN TRIPLICATE)

Land Office Santa Pe



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No. NM 05946 Unit Schwerdt feger

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL					
NOTICE OF INTERIOR	*	CUPOT			
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF WATER SHUT-OFF			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		I SHOOTING OF A			
I TO THE TOTAL OF	1	THE VALUE ALTERING ALCOHOL			
		REPORT OF PENDITURE			
I TON TO PILL OF ALTER ALTER		REFURI OF ARANDOMATA			
NOTICE OF INTENTION TO ABANDON WELL		SUPPLEMENTARY WELL HISTORY			
(INDICATE ABOVE BY CHECK M					
· · · ·		URE OF REPORT, NOTICE, OR OTHER DATA)			
7.11.22		July 17th , 19.57			
ell No. 1 is located 1980 (, c	ſN	J)			
tt. fro	m_ { <u>c</u>	line and 1980 ft. from $\left\{ \begin{array}{c} E \\ W \end{array} \right\}$ line of sec. 17			
(14 Sec. and Sec. No.) (Twp.)	(JAC)	line of sec. 17			
(Turn)	(Range	K. N. D. W.			
Wildont		(Meridian)			
(Pleid) (County	or Subdi	Vicion			
e elevation (.)	oubq	(State or Territory)			
e elevation of the derrick floor above sea le	wal ia	hara .			
To boat it	VC1 18	9130. ft.			
DETA	ILS O	F WORK			
DETA te names of and expected depths to objective sands; show size	ILS O	F WORK			
DETA] te names of and expected depths to objective sands; show siz ing points, and all o	ILS O	F WORK hts, and lengths of proposed casings; indicate proposed works.			
DETA te names of and expected depths to objective sands; show siz ing points, and all o	ILS O	F WORK hts, and lengths of proposed casings; indicate naiding jobs, coment-			
DETA te names of and expected depths to objective sands; show siz ing points, and all o	ILS O	F WORK hts, and lengths of proposed casings; indicate naid proposed work) portant proposed work			
test. Estima	ed t	total depth succe			
test. Estima	ed t	total depth succe			
Surface Casing: 1501 of 8 c.	ted 1	total depth 5400'.			
Surface Casing: 150' of 8-5/ Production : Approximatel	'8" (total depth 5400'.			
Surface Casing: 150' of 8-5/ Production : Approximatel comented wit	'8" (y 54	20 244 3-55 cemented to surrection of 5-1/2" OD 15.54 3-55			
Surface Casing: 150' of 8-5/ Production : Approximatel commented wit	8" (7 54 h 15	100' of 5-1/2" OD 15.5# J-55			
Surface Casing: 150' of 8-5/ Production : Approximatel commented wit	8" (7 54 h 15	100' of 5-1/2" OD 15.5# J-55			
Surface Casing: 150' of 8-5/ Production : Approximatel commented wit	8" (7 54 h 15	100' of 5-1/2" OD 15.5# J-55			
Surface Casing: 150' of 8-5/ Production : Approximatel commented wit	8" (7 54 h 15	100' of 5-1/2" OD 15.5# J-55			
Surface Casing: 150' of 8-5/ Production : Approximatel comented wit	8" (7 54 h 15	100' of 5-1/2" OD 15.5# J-55			
Surface Casing: 150' of 8-5/ Production : Approximatel commercial production is in erforated and the producing	78" (y 54 h 15 ndie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			
Surface Casing: 150' of 8-5/ Production : Approximatel commercial production is in erforated and the producing	78" (y 54 h 15 ndie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			
Surface Casing: 150' of 8-5/Production : Approximate) commercial production is it efforated and the producing derstand that this plan of work must receive approval in weather than the producing and the producing approval in the producing approximate approx	/8" (y 5% in 15 mdie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			
Surface Casing: 150' of 8-5/Production : Approximate) commercial production is it efforated and the producing derstand that this plan of work must receive approval in weather than the producing and the producing approval in the producing approximate approx	/8" (y 5% in 15 mdie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			
Approximate commercial production is in the production of the prod	/8" (y 5% in 15 mdie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			
Approximate commercial production is in the production of the prod	/8" (y 5% in 15 mdie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			
Surface Casing: 150 of 8-5/ Production: Approximate approximate approximate and the production is a seriorated and the producting approximate approxim	/8" (y 5% in 15 mdie	D 24, J-55 comented to surreconstruction of 5-1/2" OD 15.5, J-55 ated, the 5-1/2" casing will be ion sand-oil fractured. the Geological Survey before operations may be commenced. GORP.			
Approximate commercial production is in the production of the prod	/8" (y 5% in 15 mdie	total depth 5400'. 20 24# 3-55 comented to surrection of 5-1/2" OD 15.5# 3-55 30 sacks. ated, the 5-1/2" casing will be ion sand-oil fractured.			

Title Vice-President .U.S. GOVERNMENT PRINTING OFFICE: 1956-O-393560

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

ection A. TOM BOLACK and		Date				
Operator BENSON MONTIN GREER DRI	LLING CORP Lea	se SCHWERDTFEG	ER			
Well No. 1 Unit Letter C	Section 17	Township	24 North Range	West NMPM		
Located 1980 Feet From County SAN JUAN G. L.	Elevatio 730.0		, , , , , , , , , , , , , , , , , , , ,	Line Acres		
Name of Producing Formation	Gallup-Tocit	Pool	Wildost			
1. Is the Operator the only ov	vner* in the ded	icated acreage o	outlined on the plat b	elow?		
Yes No No . 2. If the answer to question of	one is "no." hav	e the interests	of all the owners bee	n		
consolidated by communitiza	ation agreement					
"yes," Type of Consolidation 3. If the answer to question to	on	+ all the owner	and their respective	: m + n = n + + +		
below:	two 15 110, 115	c all the owners	s and their respective	interests		
_						
<u>Owner</u>		Land Des	scription			
		 	RECE	W.		
			JUL 1	9 1957		
			U. S. GEOLOG!	CAL SURVEY		
Section. B	•		FARMINGTON,	NEW MEXICO		
Section. B		-	٦			
1	Santa Fe	Forrest 011	This is to contifu	that tha		
	05946	Santa Fe	This is to certify information in Sec			
	6	078241	above is true and	complete		
			to the best of my and belief.	knowledge		
			TOM BOLACK and			
	Santa Fe	Santa Pe	BENSON-MONTIN-GR			
1	05946	05946	(Operator)	CORP.		
1		/980'				
!		7000	(Representativ	e)		
	The second secon		4054 West Bros	ndwav		
·	17	1	Address			
			Farmington, No.	ew Mexico		
		il Mase o o •	This is to certify			
ļ ļ			well location show plat in Section B			
	/ /	LLLIVEN	from field notes o	•		
	i_i	22	surveys made by me			
	— — - 	1 6 3 1557 1 -	my supervision and same is true and co			
		CON. COM.	the best of my know			
'		PIST. 3	belief. Date Surveyed 13	July 1957		
			Date Surveyed			
		j .	to le lee	و و		
		1	Registered Profess			
0 330 660 990 1320 1650 1980 2310 2	640 2000 1500					
	2000 1000		Certificate No. 1	463		
(See Instruc	tions for comple	eting this form	on the reverse side)			

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plant the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)