

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-23073

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Gulf Oil Corporation

3. ADDRESS OF OPERATOR

P. O. Box 670, Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.
At surface

660' FNL & 2080' FWL

RECEIVED

SEP 21 1981

U. S. GEOLOGICAL SURVEY

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RE, or SL, LOCATION, N. M.)

6886' GL

7. UNIT AGREEMENT NAME

Southeast Bisti Fed Unit

8. FARM OR LEASE NAME

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 3-T24N-R10W

12. COUNTY OR PARISH 13. STATE

San Juan

NM

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(Other) Abandon Gallup, Recompl P.C. X

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

POH with production equipment. Set CIBP at 5335'. Circulate hole with abandonment mud up to 2000'. Cap CIBP with 25 sacks Class "B" cement. Set 25 sack Class "B" cement plug 2220'-2020'. Perf 1712-22', 1732-42', 1752-62' with (1) 1/2" burrless JHPF (30 holes). Spot 15% NEFE HCL 1762'-1675'. Acidize with 2400 gals 15% NEFE HCL, (24) 7/8" RCNB's. Frac with 31,500 gals 70 quality foam, 40,500# 10/20 sand, (22) 7/8" RCNB's. Close in approx 2 hrs. Start flow back.



RECEIVED FOR RECORD

OCT 7 1981

BY *[Signature]*

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE Area Engineer

DATE 9-16-81

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

oh 3

NMOCC

*See Instructions on Reverse Side