2160				SUBMIT IN TRIPLICATE*	FORM APPROVED		
ım 3160	UNITED STATES				Budget Bureau No. 1004-0136		
ovember 1983)	DEPARTMENT OF	Expires August 31, 1985					
BUREAU OF LAND MANAGEMENT 30 -045 -28540					SALEASE DESIGNATION AND SERIAL NO.		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK					NM,20304		
	ONFORTERIAL	0 0.112	.,		6. IF INDIAN, ALLOTTEE OR TRIBE	NAME	
. TYPE OF WORK	X DEEPEN	ال ا	G BACK	ς!	#12 in PM 1:36		
5,	X DEEPEN	7 150	a bhon [		7. UNIT AGREEMENT NAME		
b. TYPE OF WELL				MULTIPLE 013			
OIL GAS	<del>1</del>	SINC			8. FARM OR LEASE NAME		
WELL X WELL	L OTHER	ZON	E	ZONE	South Blanco Federal Un	it 22	
Name of Operator						<u> </u>	
Bannon Energy, Inc., c/o Daggett & Chenault, Inc.					9. WELL NO.		
ADDRESS OF OPERATOR					<b>36-8</b>		
3539 E. 30th, Ste. 7B, Farmington, NM 87402					10. FIELD AND POOL, OR WILDCAT		
LOCATION OF WELL (Report location clearly and in accordance with any State Requirements.*)					Lybrook/Gallup		
At surfaœ			*		11. SEC., T., R., M., OR BLK.	R	
	SL, 779' FEL, Sec. 23	T24N-R8W	1		Section 23, T24N-R8W	E	
At proposed prod. zone	Same				I	.,	
	ND DIRECTION FROM NEARES	T TOWN OR PC	ST OFFICE*		12. COUNTY OR PARISH	13. STATE	
			_		San Juan	NM	
Approximately 8 miles NW of Lybrook DISTANCE FROM PROPOSED*  16, NO. OF ACRES IN LEAR				RES IN LEASE	17. NO. OF ACRES ASSIGNED		
LOCATION TO NEARES	Т				TO THIS WELL		
PROPERTY OR LEASE L	. 77	Q'	600		40		
(Also to nearest drig, unit line, il any)			19. PROPOSED	DEPTH	20. ROTARY OR CABLE TOOLS		
TO NEAREST WELL, DRILLLING, COMPLETED,				•	Dotany		
OR APPLIED FOR, ON T	HIS LEASE, FT.	1522'	5800		Rotary	FADTA	
I. ELEVATIONS (Show w)	bether DF, RT, GR, etc.)	Hatharite (a	APT.		22. APPROX. DATE WORK WILL S	IAKI*	
6957' GR	pa at to 1, 1,244.56.2	1979 211	ACLUED		5-1-91 5-1-91 is subject to t	achnical and	
23	CHARRAL BECARRANTE	PR	OPOSED C	ASING AND CEMENTING	PROGRAM	11 to 43 CFR 316	
SIZE OF HOLE	SIZE OF CASING	WEIGHT P	ER FOOT	SETTING DEPTH	and SUNDITY OF SEMENT to 4		
12-1/4"	8-5/8"	24.0 lb	. J-55	300'	Cement to Surface		
7-7/8"	4-1/2"	4-1/2" 11.6 lb		5800'	800 sx-volume to be calculated		
					subsequent to logging an	d	
		Ì			circulated to surface		
Well to be drilled to penetrate the Gallup formation. All pr Gallup will be stimulated as necessary.  EXHIBITS:  "A" Location and Elevation Plat "B" Ten Point Drilling Program "C" Blowout Preventer Diagram "D" Multi-Point Requirements of APD "E" Site Specific Checklist for Roads (Attachment to "E" - Topo Map)				"F" Drill Rig Layout "G" Completion Program Layout "H" Location Profile  The gas from this lease is committed OIL CON. DIV. DIST. 3			
"A" Location "B" Ten Poil "C" Blowout "D" Multi-Po "E" Site Spe (Attachme	nt Drilling Program Preventer Diagram oint Requirements of A ecific Checklist for Roa ent to "E" – Topo Map)	ds		"G" Completion Progra "H" Location Profile  The gas from this lease	am Layout MAY2 0 is committed OIL CON DIST.	. DIV.	
"A" Location "B" Ten Poil "C" Blowout "D" Multi-Po "E" Site Spe (Attachme	nt Drilling Program Preventer Diagram Oint Requirements of Accific Checklist for Roaent to "E" - Topo Map)	ds	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease	is committed OIL CON DIST. It poposed new productive zone. If proposed is	. DIV.	
"A" Location "B" Ten Poil "C" Blowout "D" Multi-Po "E" Site Spe (Attachme	nt Drilling Program Preventer Diagram Oint Requirements of Accific Checklist for Roaent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If It is not to the proposed program of the program o	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease	is committed OIL CON DIST. It poposed new productive zone. If proposed is	. DIV.	
"A" Location "B" Ten Poin "C" Blowout "D" Multi-Po "E" Site Spe (Attachme IN ABOVE SPACE DESCR drill or deepen directionally,	nt Drilling Program t Preventer Diagram oint Requirements of A ecific Checklist for Roa ent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If the give pertinent data on subsurface I	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease give data on present productive zone and tical depths. Give blowout preventer pr	is committed OIL CON DIST. It poposed new productive zone. If proposed is	. DIV.	
"A" Location "B" Ten Poin "C" Blowout "D" Multi-Po "E" Site Spe (Attachme  IN ABOVE SPACE DESCR drill or deepen directionally, 24.	nt Drilling Program Preventer Diagram Oint Requirements of Accific Checklist for Roaent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If It is not to the proposed program of the program o	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease give data on present productive zone and tical depths. Give blowout preventer pr	is committed OIL CON DIST. It proposed new productive zone. If proposal is ogram, if any.	. DIV.	
"A" Location "B" Ten Poin "C" Blowout "D" Multi-Po "E" Site Spe (Attachme  IN ABOVE SPACE DESCR drill or deepen directionally, 24.	nt Drilling Program t Preventer Diagram oint Requirements of A ecific Checklist for Roa ent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If the give pertinent data on subsurface I	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease give data on present productive zone an tical depths. Give blowout preventer pr	is committed OIL CON DIST. It proposed new productive zone. If proposal is ogram, if any.	. DIV.	
"A" Location "B" Ten Poir "C" Blowout "D" Multi-Pe "E" Site Spe (Attachme  IN ABOVE SPACE DESCR drill or deepen directionally, 24.  SIGNED	nt Drilling Program t Preventer Diagram oint Requirements of A ecific Checklist for Roa ent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If the give pertinent data on subsurface I	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease give data on present productive zone and tical depths. Give blowout preventer pr	is committed OIL CON DIST. It poposed new productive zone. If proposal is ogram, if any.	. DIV.	
"A" Location "B" Ten Poir "C" Blowout "D" Multi-Pe "E" Site Spe (Attachme IN ABOVE SPACE DESCR drill or deepen directionally, 24.  SIGNED  (This space for Feder PERMIT NO. APPROVED BY	nt Drilling Program t Preventer Diagram oint Requirements of A ecific Checklist for Roa ent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If the give pertinent data on subsurface I	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease give data on present productive zone an tical depths. Give blowout preventer pr	is committed OIL CON DIST. It poposed new productive zone. If proposal is ogram, if any.	. DIV.	
"A" Location "B" Ten Poin "C" Blowout "D" Multi-Po "E" Site Spe (Attachme  IN ABOVE SPACE DESCR drill or deepen directionally, 24.  SIGNED  (This space for Feder  PERMIT NO.  APPROVED BY	nt Drilling Program Preventer Diagram Oint Requirements of A Secific Checklist for Roasent to "E" - Topo Map) RIBE PROPOSED PROGRAM: If It, give pertinent data on subsurface I RIBE AMARIA Seral or State office use)	dS  proposal is to decocations and mean	pen or plug back, sured and true ver	"G" Completion Progra "H" Location Profile  The gas from this lease give data on present productive zone an tical depths. Give blowout preventer pr	is committed OIL CON DIST. It poposed new productive zone. If proposal is ogram, if any.	. DIV.	

Standaroon de

## State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

## OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

91 APR 10 PM 1:56

DISTRICT I P.O. Box 1980, Hoobs, NM 88240 DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Amec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT

O Rio Brazos Rd., Aziec, NM 87410	All Distances must	be from the ooter ooch and	3 01 110 110	23 Well No.
BANNON EN	NERGY, INC.	SOUTH B	LANCO FED.	
is Letter Section 23	Township T.24 N.	Range R.8	W. NMPM	SAN JUAN COUNTY
121 Focuse Location of Well: 2121 feet from the	SOUTH line at	779	feet from the	EAST line
xind level Elev. Produc	ing Formation		/Gallup A	40 Acres
6057 ) 6	allup led to the subject well by colored			
1. Outline the acreage dedica	led to the subject well of contine each	and identify the ownership the	creof (both as to working	interest and royalty).
2. If more than one lease is d	different ownership is dedicated to	the well, have the interest of	all cweers been consolid	ated by communitization,
unitization, force-pooling,	ac.:	u elidation		
Yes	No If answer is yes	" type of consolidation have actually been consolidate	d. (Use reverse side of	
this form if neccessary.	il all interests ha	ve been consolidated (by com	nunitization, unitization,	forced-pooling, or otherwise)
or until a non-standard unit,	eliminating such interest, has bee	a approved by the Division.		OPERATOR CERTIFICATION
				I hereby certify that the information nained herein in true and complete to the
		! [	be	st of my knowledge and belief.
	\	DECEIVI	EM si	Milhaland
ļ			- <b> U</b> '	inted Name
1		MAY2 0 1991		R. A. Chabaud
		OIL CON. DI	V P	v.P. Operations
		DIST. 3	110	ombana
			) <del>[</del>	Bannon Energy, Inc.
1				04/02/9/
	SEC. 23	;		SURVEYOR CERTIFICATION
		. /		hereby certify that the well location shows on this plat was plotted from field note.
			/ 7701   1	on this plat was plated from or under actual surveys made by me or under supervison, and that the same is true
			/ [m   ]	correct to the best of my phowledge
			/ / / [25]	belief.
i			Z	Date Surveyed MARCH 7 1991
			. 1. W	Signature to Sell of ToriUP C
			212 37 V	HENER BROKENTRST.
		·	10	14 (-60393) 1/2
		. 1	z	Ment Tought !!
		S 89-58 W	2634.72	Certificate Po
			500	10000
0 330 660 990 1320	1650 1980 2310 2640	2000 1500 10	500 0	L.

