

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079160-A
Unit NW/4 Sec 15

NOTED
NOV 27 1952

SUNDRY NOTICES AND REPORTS ON WELLS McGRATH

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 26, 1952

Well No. 1 Jenkins located 895 ft. from N line and 1750 ft. from W line of sec. 15

<u>NW/4 Sec 15</u> (1/4 Sec. and Sec. No.)	<u>26N</u> (Twp.)	<u>7W</u> (Range)	<u>N.M.P.M.</u> (Meridian)
<u>South Blanco</u> (Field)	<u>Rio Arriba</u> (County or Subdivision)	<u>New Mexico</u> (State or Territory)	

The elevation of the derrick floor above sea level is 6121 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Intend to drill with rotary tools to a depth of approximately 2250' and set casing on the Pictured Cliffs ss., drill sand, shoot with approximately 150 quarts Solidified Nitro-gel and complete as a gas well.

Casing Program:

Set approximately 150' of 10-3/4" Surface casing with approximately 150 sax of cement and circulate to surface.

Set approximately 2250' of 5 1/2" casing to approximately 2250' with 240 sax of cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Kingsley-Locke Oil Co.Address 1400 Luhrs TowerPhoenix, ArizonaBy F. C. BarnesTitle Geologist

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...


...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

Company Kingsley-Locke Oil Company
Lease Well No.
Sec. 15, T. 26 N, R. 7 W N.M.P.M.
Location 805' from the North line and 1750' from
the West line.
Elevation 6121.0 Ungraded ground.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed 28 October, 1952