

(SUBMIT IN TRIPLICATE)

Indian Agency Mescalito Apache

Salas, New Mexico

Allottee _____

Lease No. Cont. 102

APPROVED	
JUN 25 1956	
JERRY W. LONG ACTING DISTRICT ENGINEER	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO ABANDON	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ June 4, 1956

Well No. 3 is located 1150 ft. from SB line and 1150 ft. from E line of sec. 9

SW 1/4 Sec. 9 26 N 4 W RPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Opposite Pictured Cliff Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7154 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The 5 1/2" casing was set at 3711' and cemented with 300 sac cement. The casing will be perforated from 3805' to 3835' with 4 jet shots, Per foot. After taking a natural test the well will be sandfrased with 15,500 gallons of water carrying 15,000 lbs. of sand.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company MONOLULU OIL CORPORATION

Address MONOLULU OIL CORPORATION

P.O. Drawer 1391

Midland, Texas

By George R. Hay

Title Division Development Engineer

