

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Albuquerque
Lease No. 100-521
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

ILLEGIBLE

MARK NATURE OF REPORT, NOTICE, OR OTHER DATA


July 3, 1963

Well No. 206 is located 300 ft. from N line and 700 ft. from W line of sec. 1

20 Section 1
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Basin Dakota Albarrada County New Mexico
(County or Subdivision) (State or Territory)

Albarrada Verde
The elevation of the ground level above sea level is 6612 ft.



DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a well at the location described above with rotary drilling equipment to a depth of approximately 7800' using mud for circulating fluid. The following casing and cementing program is proposed:

- 250' 4-5/8" 36 Sealless Casing cemented from top to bottom.
- 7800' 5-7/8" 15.5 and 17 3/8" Sealless Casing cemented with 300 sacks.

It is also proposed to perforate new fracture as necessary to obtain the best possible production from the Verde and Dakota zones. Tubing and packers will be used to separate the 2 zones so that each can be tested and produced separately. Multiple stage cementing devices will be used to cement the Verde and fractured Dakota zones.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Quilkins Oil Company

Address Box 77

Farrington, New Mexico

By Frank Gray

Title Superintendent

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat


Section A.

Date June 18, 1959


Operator Caulkins Oil Company Lease Branch #K
 Well No. 10-64 Unit Letter A Section 1 Township 26 North Range 6 West NMPM
 Located 900' Feet From East Line, 890' Feet From North Line
 County Rio Arriba G. L. Elevation 6612 Dedicated Acreage M and D 560 Acres
 Name of Producing Formation Mesa Verde and Dakota Pool Sanita Blanco MV & Basin Dakota

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below? Yes No E-32049
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes,"
Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description



Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.


Caulkins Oil Company
 (Operator)
Frank Gray
 (Representative)
 Box 967
 Farmington, New Mexico
 Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true to the best of my knowledge and belief.

Date Surveyed June 15, 1959

Ernest V. Echohawk
 Ernest V. Echohawk
 Registered Land Surveyor.

Certificate No. 1545



3-25-68

CAULKINS OIL COMPANY

WELLS REQUIRING FILE CORRECTION ONLY

LEASE NAME & WELL NUMBER	LOCATION	POOL	PRESENT ACREAGE	CORRECT ACREAGE
Breech E #64	A-1-26N-6W	Blanco MV	E 320	E 320.49 ✓
Breech E #64	A-1-26N-6W	Basin Dak.	E 320	E 320.49 ✓
Breech E #118	N-1-26N-6W	Basin Dak.	W 320	W 321.51 ✓
State A#62	A-2-26N-6W	Blanco MV	N 320	N 323 ✓
State A#62	A-2-26N-6W	Basin Dak.	N 320	N 323 ✓
Breech E #58	A-3-26N-6W	Blanco MV	E 320	E 320.75 ✓
Breech E #58	A-3-26N-6W	Basin Dak.	E 320	E 320.75 ✓
Breech E #89	L-3-26N-6W	Basin Dak.	W 320	W 320.25 ✓
Breech E #54	A-4-26N-6W	Basin Dak.	E 320	E 319.97 ✓
Breech E #50	A-5-26N-6W	Basin Dak.	N 320	N 320.52 ✓
Breech B #123	B-7-26N-6W	Basin Dak.	N 320	N 321 ✓
Breech #312	N-18-26N-6W	So. Bl. PC	160	160.71 ✓