ohEnh

SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side)

UNITED STATES DEPARTMENT OF THE INTERIOR

(May 1805)	UNI DEPARTMEN	30-039-22039										
	GEOLG	5. LEASE DESIGNATION AND SERIAL NO. Contract No. 153										
1 551 16 4 710 \		6. IF INDIAN, ALLOTTEE OR TRIBE NAME										
	FOR PERMIT	Jicarilla Apache										
1a. TYPE OF WORK DRII	LL 🔯	DEEPEN		PLUG BA	CK 🗌	7. UNIT AGREEMENT NAME						
b. TYPE OF WELL	s —			NGLE MULTIP	re 🗀	8. FARM OR LEASE NAME						
WELL WI	LL XX OTHER	Jicarilla "J"										
	gy Corporation					9. WELL NO.						
3. ADDRESS OF OPERATOR						16. FIELD AND POOL, OR WILDCAT						
P. O. Box 80	08, Farmington	South Blanco, Pictured Cliff										
At surface		11. SEC., T., R., M., OR BLK. N.M.P.M.										
1190 feet from the South line and 1190 feet from the Rest line.												
		Sec. 26, T-26N, R-5W,										
14. DISTANCE IN MILES A				E *		Rio Arriba New Mexico						
31 Miles Nor	thwest of Oji		100). OF ACRES IN LEASE	1 17. NO.	OF ACRES ASSIGNED.						
15. DISTANCE FROM PROPO LOCATION TO NEAREST PROPERTY OR LEASE LI		00 feet	2560			THIS WELL /						
(Also to nearest drlg	unit line, if any) \ OSED_LOCATION*	O feet				OTARY OR CABLE TOOLS						
TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 2065 feet			3300 Ft.			Rotary						
21. ELEVATIONS (Show whe						22. APPROX. DATE WORK WILL START*						
6567 GR.				<u></u>		June 6, 1979						
23.		PROPOSED CASI	NG ANI	CEMENTING PROGR.	AM							
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	TOOT	SETTING DEPTH		QUANTITY OF CEMENT						
9-7/8"	7-5/8"	20.0		250	-	150 Sx.						
6-3/4"	2 - 7/8	6.50		3300		200 Sx.						
well is drille will be sand	ed, pipe is se water fraced tely 3000 feet.	t and cemen	ted, prod	the casing will	l be pe	formation. After the erforated. The well in run tubing to be set						
IN ABOVE SPACE DESCRIBE zone. If proposal is to o preventer program, if any 24.	drill or deepen direction	nally, give pertinen	it data (olug back, give data on pon subsurface locations a	nd measure	ductive zone and proposed new productive ed and true vertical depths. Give blowout						
(This space for Feder	ral or State office use)			APPROVAL DATE		RECEIVED						
APPROVED BYCONDITIONS OF APPROV.	AL, IF ANY:	Т1	TLE			MAY DATE: 1979						

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

All distances must be from the outer boundaries of the Section.													
Operator SUPRON	EN	ERGY COR	PORATI	ON	JICARILLA "J			J*	Well No. ·				
Unit Letter	Secti		Township		1	Range	County						
М	1	26	26	NORTH	- 1	5 WEST	R	IO ARRIE	BA				
Actual Footage Location of Well:													
TO SOLVEY TO SOL													
Ground Level Elev.	icei	Producing For		line and	Pool		Teet from the		Dedicated Acreage: SW/4				
6567		PICTUR		नन		South B	lanco /		160 Acres				
 Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 													
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? Yes No If answer is "yes," type of consolidation If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-													
sion.									•				
				26				Name Rudy Position Area Company Supron	CERTIFICATION To certify that the information comperein is true and complete to the my knowledge and belief. A D. Motto Superintendent Energy Corporation pril 16, 1979				
//90°								Date Surve	ctual Novs mode de me or rupervising and their Disame and correct to the best of my ge and build. The same and correct to the best of my ge and build. The same are a supervising and their property of the same and surveyor and surveyor and surveyor are same and surveyor are same and surveyor and surveyor are same are same and surveyor are same and sur				
			1					Certificate	No. 1463				
330 660 60	132	0 1650 1940	2310 264	2000	150	0001 00	#00 C	o '	- · · · · · · · · · · · · · · · · · · ·				

United States Geological Survey P. O. Box 1809 Durango, Colorado 81301

Attention: Mr. Jerry Long

Dear Sir:

Supron Energy Corporation proposes to drill the Jicarilla "J" No. 16 well located 1190 feet from the South line and 1190 feet from the West line, Section 26, Township 26 North, Range 5 West, N.M.P.M., Rio Arriba County, New Mexico.

The following attachments are included with this application:

- 1. Map of existing roads.
- 2. Planned access road which is approximately 2000 feet in length.
- 3. Location of existing wells.
- 4. Lateral roads to well locations.
- 5. Location of surface equipment, if required.
- 6. Drilling and completion water will be obtained from the Supron Energy Corporation water well located in the SW/4, Sec. 23, T-26N, R-4W, N.M.P.M., Rio Arriba County, New Mexico.
- 7. Waste will be disposed of by being placed in the reserve pit and buried upon completion of the well.
- 8. There will be no camp at or near the well site.
- 9. There will be no air strip.
- 10. A plat is attached showing the location of the rig, mud pits, reserve pit, burn pit, ect.
- 11. A letter of Certification is attached and the operators representative is Rudy D. Motto, Area Superintendent, P. O. Box 808, Farmington, New Mexico 87401, Phone (505) 325-3587.
- 12. After the well is completed the location will be cleaned up and bladed. The reserve pit will be fenced on three sides when the location is built. After the well is drilled the pit will be fenced off until it has dried and then the pit will be filled and restored to its natural state.
- 13. The soil is sandy loam with the principal vegatation being sage, pinon, juniper, winterfat, erigeron, opuntia, gamma, wild celery and galleta.

JICARILLA "J" No. 16

SUPPLEMENT TO FORM 9-331C


- 1. The Geologic name of the surface formation is, "Wasatch".
- 2. The estimated tops of important Geologic markers are:

A. Base of Ojo Alamo 2500 feet
B. Fruitland 2723 feet
C. Pictured Cliffs 2990 feet

3. The estimated depths at which anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are:


A. Base of Ojo Alamo 2500 feet - water B. Fruitland 2723 feet - water C. Pictured Cliffs 2990 feet - gas

- 4. The casing program is shown on Form 9-3310 and all casing is new.
- 5. The lessee's pressure control equipment schematics are attached along with minimum specifications, testing proceedures and frequencies.
- 6. The type, estimated volumes and characteristics of the circulating mediums are as follows:
 - A. From O feet to 250 feet Natural Mud
 - B. From 250 feet to 3300 feet Permaloid non dispersed mud containing 167 sx of gel. 67 sx of permaloid and 10 sx of C.M.C.
- 7. The auxiliary equipment to be used will be floats at the bit and a sub on the floor with a full opening valve to be stabbed into the drill pipe when the Kelly is not in the string.
- 8. This well is in an area which is almost completely developed, therefore we will not have a testing and coring program. The logging program is as follows:
 - A. E. S. Induction
 - B. Gamma Ray Density
 - C. Gamma Ray Correlation
 - D. Cement Bond or Temperature log
- 9. There are no abnormal pressures, temperatures, or:hydrogen sulfide problems expected in this highly developed area.
- 10. The anticipated starting date of this well is June 6, 1979.




SUPRON ENERGY CORPORATION LOCATION AND EQUIPMENT LAYOUT JICARILLA "J" NO. 16

1190 Feet from the South line and 1190 feet from the West line, Section 26, Township 26 North, Range 5 West, N.M.P.M. Rio Arriva County, New Mexico.



Blowout Preventer will be tested daily and prior to drilling out with the results to be logged on the drillers report.

The B.O.P. and all valve and fittings are rated at 3000 psi working pressure, and hydraulically operated



BLOWOUT PREVENTER HOCKUP

SUPRON ENERGY CORPORATION POST OFFICE BOX 808 FARMINGTON, NEW MEXICO 87401

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be preformed by SUPRON ENERGY CORPORATION and its contractors subcontractors in conformity with this plan and the terms and conditions under which it is approved.

SUPRON ENERGY CORPORATION

Rudy D. Motto

Area Superintendent

Phone: 325-3587