

10-7-89
District I

P.O. Box 1980, Hobbs, NM 88221

State of New Mexico
Energy, Minerals and Natural Resources Dept.

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

District II 9-7-1989

P.O. Drawer DD, Artesia,
NM 88221

OIL CONSERVATION DIVISION

2040 S. Pacheco

Santa Fe, New Mexico 87504

District III

1000 Rio Brazos Rd, Aztec,
NM 87410

PIT REMEDIATION AND CLOSURE REPORT

Operator: Caulkins Oil Company

Telephone: (505) 632-1544

Address: P.O. Box 340, Bloomfield, NM 87413

Facility or Well Name: Breech "B" 172-E

Location: Unit or Qtr/Qtr M Sec 7 T 26N R 6W County Rio Arriba

Pit Type: Separator X Dehydrator Other

Land Type: BLM X, State , Fee , Other

Pit Location: Pit dimensions: length 36', width 30', depth 12'

(Attach diagram)

References: wellhead X, other

Footage from reference: 165'

Direction from reference: 200 Degrees East North
of
X West South X

Depth to Ground Water:

(Vertical distance from
contaminants to seasonal high
water elevation of ground water)

Less than 50 feet	(20 points)	
50 feet to 99 feet	(10 points)	
Greater than 100 feet	(0 points)	<u>0</u>

Wellhead Protection Area:

(Less than 200 feet from a
private domestic water source,
or; less than 1000 feet from all
other water sources)

Yes	(20 points)	
No	(0 points)	<u>0</u>


Distance to Surface Water:

(Horizontal distance to perennial
lakes, ponds, rivers, streams,
creeks, irrigation canals and
ditches)

Less than 200 feet	(20 points)	
200 feet to 1000 feet	(10 points)	
Greater than 1000 feet	(0 points)	<u>0</u>

RANKING SCORE (TOTAL POINTS): 0

AND TITLE ROBERT L. VERQUER, SUPERINTENDENT





®Certificate of Analysis No. 9709201-09

FARMINGTON LABORATORY
P.O. BOX 1289
FARMINGTON, NEW MEXICO 87499-1289
PHONE (505) 326-2588

Caulkins Oil Co.
1997 E Blanco Blvd
Bloomfield, NM 87413
Attn: Bobby Verquer

Date: 10/27/97

Project: Landfarm
Site:
Sampled By: J. Waggoner
Sample ID: Breech B 172 E

Project No:
Matrix: Soil
Date Sampled: 09/29/97
Date Received: 09/29/97

Analytical Data

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Benzene	ND	1.0	µg/Kg
Toluene	ND	1.0	µg/Kg
Ethylbenzene	ND	1.0	µg/Kg
Total Xylene	ND	1.0	µg/Kg
Total Volatile Aromatic Hydrocarbons	ND		µg/Kg

Surrogate **% Recovery**
1,4-Difluorobenzene 100
4-Bromofluorobenzene 117
Method 8020
Analyzed by: LJ
Date: 10/15/97

Total Petroleum Hydrocarbons-Diesel 430 40.0 mg/Kg

Surrogate **% Recovery**
n-Pentacosane 442MI
Method 8015A*** for Diesel
Analyzed by: RR
Date: 10/09/97


Gasoline Range Organics ND 0.1 mg/Kg

Surrogate **% Recovery**
4-Bromofluorobenzene 70
1,4-Difluorobenzene 103
Method 8015A*** for Gasoline
Analyzed by: RR
Date: 10/09/97

ND- Not detected MI-Matrix Interference

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with
EPA guidelines for quality assurance.


Danica Carmari, Lab Manager



®Certificate of Analysis No. 9709201-10

FARMINGTON LABORATORY

P.O. BOX 1289
FARMINGTON, NEW MEXICO 87499-1289
PHONE (505) 326-2588

Caulkins Oil Co.
1997 E Blanco Blvd
Bloomfield, NM 87413
Attn: Bobby Verquer

Date: 10/27/97

Project: Bottom of Pit
Site:
Sampled By: J. Waggoner
Sample ID: Breech B 172 E

Project No:
Matrix: Soil
Date Sampled: 09/29/97
Date Received: 09/29/97

Analytical Data

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Benzene	ND	1.0	µg/Kg
Toluene	ND	1.0	µg/Kg
Ethylbenzene	ND	1.0	µg/Kg
Total Xylene	ND	1.0	µg/Kg
Total Volatile Aromatic Hydrocarbons	ND		µg/Kg

Surrogate **% Recovery**
1,4-Difluorobenzene 93
4-Bromofluorobenzene 60
Method 8020
Analyzed by: LJ
Date: 10/15/97

Total Petroleum Hydrocarbons-Diesel 270 40.0 mg/Kg

Surrogate **% Recovery**
n-Pentacosane 580MI
Method 8015A*** for Diesel
Analyzed by: RR
Date: 10/09/97

Gasoline Range Organics ND 0.1 mg/Kg


Surrogate **% Recovery**
4-Bromofluorobenzene 33MI
1,4-Difluorobenzene 93
Method 8015A*** for Gasoline
Analyzed by: RR
Date: 10/09/97

ND- Not detected

MI-Matrix Interference


Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
 **Ref: Standard Methods for Examination of Water & Wastewater, 18th ed.
 ***Ref: Test Methods for Evaluating Solis Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance with
EPA guidelines for quality assurance.


Danica Carman, Lab Manager

CAULKINS OIL SITE SECURITY DIAGRAM

WELL NAME: Breach B 172-E



THIS LEASE IS SUBJECT TO THE SITE SECURITY PLAN
FOR NORTHWEST NEW MEXICO OPERATIONS. THE
PLAN IS LOCATED AT:

CAULKINS OIL COMPANY
2001 EAST BLANCO BLVD.
BLOOMFIELD, NEW MEXICO 87413

CAULKINS OIL COMPANY
LEASE NO.: NMNM03381
LOCATION: SW1/4 SEC.07,
T. 28N., R. 6W

ALL SALES VALVE ON TANKS AND BS&W DRAW VALVES CLOSED AND
SEALED WHILE WELL PRODUCING AND SHUT-IN.