

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

93 AUG 18 AM 11:11

010 ALBUQUERQUE NM

RECEIVED

AUG 30 1993

OIL CON. DIV.
DIST. 3

1. Type of Well
GAS

2. Name of Operator
MERIDIAN OIL

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
1495'FNL, 880'FWL Sec.20, T-26-N, R-3-W, NMPM

5. Lease Number
Jic.Contract 98
6. If Indian, All. or
Tribe Name
Jicarilla Apache
7. Unit Agreement Name

8. Well Name & Number
Jicarilla 98 #5A
9. API Well No.

10. Field and Pool
Tapacitos Pic.Cliffs/
Blanco Mesa Verde
11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other -
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

Per phone conversation with Robert Kent and at his request, the 8 5/8" surface casing will be pressure tested to 2000 psi. A test plug will be set at the bottom of the 8 5/8" csg and a pump truck will be used to pressure test the casing, pipe rams and blind rams to 2000 psi for 30 minutes.

Note: revision of BOP diagrams per BLM recommendation is attached.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Affairs Date 8/16/93

(This space for Federal or State Office use) AREA MANAGER
APPROVED BY _____ Title RIO PUERCO RESOURCE AREA Date AUG 26 1993

CONDITION OF APPROVAL, if any:


Acting

NMOCD

MERIDIAN OIL INC.

BOP Configuration

2M psi SYSTEM




11" Bore, 2000psi minimum working pressure double gate BOP to be equipped with blind and pipe rams. A Schaffer Type 50 or equivalent rotating head to be installed on the top of the BOP. All equipment is 2000psi working pressure/or greater.

Figure #1

MERIDIAN OIL INC.


BOP Configuration
2M psi SYSTEM



Minimum BOP installation for Completion operations. 7 1/16" Bore (6" Nominal), 3000psi minimum working pressure double gate BOP to be equipped with blind and pipe rams.

Figure #2

MERIDIAN OIL INC.
Choke Manifold Configuration
2M psi SYSTEM



Minimum choke manifold installation from surface to Total Depth.
2" minimum, 2000psi working pressure equipment with two chokes.

Figure #3