

Sec. 17

Sanda Wall

(SUBMIT IN TRIPLICATE)

Indian Agency  
Comm. #114-20-60-1135

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

#666(011618)

Allottee Sanda Wall

Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING Casing	<input type="checkbox"/>
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 15,

19

Sanda Wall

Well No. 2 is located 1900 ft. from N line and 660 ft. from W line of sec. 17

SW 1/4 Section 17 29N 11W S.M.P.M.

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Blot

San Juan

New Mexico

(Field)

(County or Subdiv.)

(State or Territory)

The elevation of the derrick floor above sea level is 6387 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to a total depth of 5300' with Rotary Tools. We expect to test the following zones at the following approximate depths:

SAND  
Gallup

EXPECTED TOP  
5300'

We expect to test any other zones that appear productive of oil or gas. CASING PROGRAM: Approximately 300' of 8-1/8" Surface Casing w/approximately 150' of cement, approximately 3300' of 5 1/2" Casing on bottom w/approximately 850' of cement. We propose to perforate and complete through perforations in the Gallup lens.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Magnolia Petroleum Company

Address Box 633

Midland, Texas

By R.T. O'NEAL  
Division Superintendent

Title





NEW MEXICO OIL CONSERVATION COMMISSION  
Well Location and Acreage Dedication Plat

Section A.

Date July 8, 1957


Operator MAGNOLIA PETROLEUM COMPANY Lease SANDA-WALL  
Well No. 2 Unit Letter        Section 17 Township 25N Range 11W NMPM  
Located 1980 Feet From North Line 660 Feet From West Line  
County San Juan G. L. Elevation 6377 Dedicated Acreage 40 Acres  
Name of Producing Formation Gallego Pool       

1. Is the Operator the only owner\* in the dedicated acreage outlined on the plat below?  
Yes X No       .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes        No        If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

Section B.



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Magnolia Petroleum Co.

(Operator)

R. J. Herman  
Representative E. I. GERRMAN  
Division Superintendent  
Box 633 - Midland, Texas

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed JUNE 3, 1957

Carl E. Turner  
Registered Professional  
Engineer and/or Land Surveyor.

Certificate No. 2490