

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
CORRECTED COPY

Land Office Santa Fe
Lease No. N. M. 036254
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 14, 1959

CBU
Well No. WI 5 is located 1319 ft. from N line and 1315 ft. from W line of sec. 10
SW 1/4 of SW 1/4 Sec. 10 25-N 12-W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Bisti Gallup San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground derrick floor above sea level is 6200 ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

This 4950' well will be drilled as a water injection well. The program for drilling the well follows:
Drill 12 3/4" hole to 243'. Run 8 5/8" OD 24# J-55 csg. to 243' & cmt. with sufficient cmt. to circulate. WOC 24 hrs. Test csg. to 800' for 30 min. Drill 7 7/8" hole to 4950'. Run SP-Micro log. Run 4 1/2" OD 9.5# J-55 csg. to 4950' & cmt. w/ sufficient cmt. to place the top in annuls at 4000'. WOC 48 hrs. Test csg. to 1000' for 30 min. The csg. will be gun perforated. The Gallup Sand will be vibra fractured if necessary for injection. A Baker Model "D" packer will be set above the perforations & 2 3/8" EUE plastic lined tbg. will be used for injection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray Mid-Continent Oil Company
Address Room 166
Petroleum Center Building
Farmington, New Mexico

ORIGINAL SIGNED
By Hal M. Stierwalt
Title Engineer



NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A


Operator SUNRAY MID-CONTINENT OIL COMPANY			Lease CENTRAL BISTI UNIT		Well No. W.I. 5
Unit Letter M	Section 10	Township 25 NORTH	Range 12 WEST	County SAN JUAN	
Actual Footage Location of Well: 1319 feet from the SOUTH line and 1315 feet from the WEST line					
Ground Level Elev.	Producing Formation LOWER GALLUP		Pool BISTI GALLUP	Dedicated Acreage; INJECTION WELL Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO X . ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by community agreement or otherwise? YES X NO ____ . If answer is "yes," Type of Consolidation UNIT AGREEMENT
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description



SECTION B



I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name	<i>Hal M. Stierwalt</i>
Position	Engineer
Company	Sunray Mid-Continent Oil Co.
Date	August 14, 1959

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed	30 JUNE 1959
Registered Professional Engineer and/or Land Surveyor	<i>James P. Leese</i> James P. Leese
Certificate No.	1463

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of the Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.